

## Epson TM-m30II (111A0): USB + Ethernet + NES + BT, White, PS, UK

**Tuotemerkki :** Epson

**Tuotekoodi:** C31CJ27111A0

**Tuotteen nimi :** TM-m30II (111A0): USB + Ethernet + NES + BT, White, PS, UK

- Tyylikäs rakenne: Hienostunut ja käytännöllinen rakenne, pieni tilantarve
- Edullinen: Perustason malli (edeltäjänsä TM-m30:n päivitetty versio)
- Nopea tulostus: Suurempi tulostusnopeus, jopa 250 mm/s
- Suoratulostus mobiililaitteista: Ei ohjainten asennus- tai päivitystarvetta
- Luotettava: Epsonin hyväksi todettu ja luotettu laatu

TM-m30II (111A0): USB Ethernet NES BT, White, PS, UK

Epson TM-m30II (111A0): USB + Ethernet + NES + BT, White, PS, UK. Tulostustekniikka: Suoralämpö, Malli: Maksupäätetulostin, Suurin resoluutio: 203 x 203 DPI. Suurin rullan halkaisija: 8,3 cm, Tuetut paperin leveydet: 58 mm - 80 mm (Breite), Tulostuksen enimmäisleveys: 8 cm. Yhteysteknologia: Langallinen & langaton, USB-liitin: USB Type-A / USB Type-B. Äänenpainetaso (tulostus): 55 dB, Keskimääräinen vikaantumisaika: 360000 h, Automaattisen leikkaajan kestävyys: 1,5 miljoonaa leikkausta. Tuotteen väri: Valkoinen



<b>Printing</b>		<b>Operational conditions</b>	
Maximum resolution	203 x 203 DPI	Storage temperature (T-T)	-20 - 60 °C
Print speed	250 mm/sec	Operating relative humidity (H-H)	10 - 90%
Print speed (receipt)	250 mm/sec	Storage relative humidity (H-H)	10 - 90%
Printing characters	Text, Graphic, Barcode	<b>System requirements</b>	
Character sets	ANK	Pre-installed software	TMNet WebConfig, ePOS-Device, ePOS-Display, ePOS-Print
Print technology *	Direct thermal	<b>Weight &amp; dimensions</b>	
Type *	POS printer	Width	127 mm
<b>Paper handling</b>		Depth	127 mm
Maximum roll diameter	8.3 cm	Height	127 mm
Supported paper width	58 mm - 80 mm (Breite)	Weight	1.3 kg
Maximum printing width	8 cm	<b>Packaging data</b>	
<b>Ports &amp; interfaces</b>		Quantity per pack	1 pc(s)
USB port *	✓	Package width	193 mm
USB 2.0 ports quantity	2	Package depth	235 mm
USB connector	USB Type-A / USB Type-B	Package height	233 mm
Bluetooth	✓	Package weight	2.2 kg
Connectivity technology *	Wired & Wireless	<b>Packaging content</b>	
Near Field Communication (NFC)	✓	AC adapter included	✓
<b>Network</b>		<b>Print technology</b>	
Ethernet LAN *	✓	Column capacity	48/57
Wi-Fi *	✗	<b>Logistics data</b>	
<b>Features</b>		Pallet weight (UK)	0 g
Sound pressure level (printing)	55 dB	Harmonized System (HS) code	84433210
Mean time between failures (MTBF)	360000 h	Products per master (outer) case	4 pc(s)
Half-cutter	✓	Master (outer) case width	400 mm
Autocutter durability	1.5 million cuts		

<b>Features</b>		<b>Logistics data</b>	
Print head life	150 km	Master (outer) case length	490 mm
Country of origin	Philippines	Master (outer) case height	255 mm
Mounting position	Horizontal/Vertical	Master (outer) case gross weight	0 g
Wall mountable	✓	Products per pallet	128 pc(s)
Built-in sensors details	Paper End Sensor, Paper Near End Sensor, Papier-Sensor	Pallet gross weight	0 g
		Products per pallet (UK)	192 pc(s)
<b>Design</b>		<b>Technical details</b>	
Product colour *	White	Font styles	ANK
		Lifetime	17000000 lines
<b>Power</b>		<b>Other features</b>	
Power source type *	AC	Buffer size	12 KB
Power plug type	Type G	Mean cycles between failures (MCBF)	65000000
<b>Operational conditions</b>		Print head life	150.000.000 Impulse
Operating temperature (T-T)	5 - 45 °C		



8715946688527

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 23-DEC-2024. Prints or copies of Information are only valid on the printed Publication date