

Epson TM-m30II-NT (151A0): USB + Ethernet + NES + Lightning, White, PS, UK

Tuotemerkki : Epson

Tuotekoodi: C31CJ95151A0

Tuotteen nimi : TM-m30II-NT (151A0): USB + Ethernet + NES + Lightning, White, PS, UK

- Parannetut liitännät: Kaksi USB-A-porttia, synkronointi ja lataus sekä verkkoyhteys
- Ikoninen rakenne: Tyylikäs ja käytännöllinen rakenne, pieni tilantarve ja hienostunut ilme
- Nopea tulostus: Tulostusnopeus jopa 250 mm/s
- Verkkoyhteyden jako: Internet-yhteys tulostimen ja tabletin välillä kaapelin kautta
- Luotettava: Epsonin hyväksi todettu ja luotettu laatu

TM-m30II-NT (151A0): USB Ethernet NES Lightning, White, PS, UK

Epson TM-m30II-NT (151A0): USB + Ethernet + NES + Lightning, White, PS, UK. Tulostustekniikka: Suoralämpö, Malli: Maksupäätetulostin, Suurin resoluutio: 203 x 203 DPI. Suurin rullan halkaisija: 8,3 cm, Tuetut paperin leveydet: 58 mm - 80 mm (Breite). Yhteysteknologia: Langallinen, USB-liitin: USB Type-A / USB Type-B. Yhteensopivat muistikortit: MicroSD (TransFlash), Äänenpainetaso (tulostus): 55 dB, Keskimääräinen vikaantumisaika: 360000 h. Tuotteen väri: Valkoinen



Printing		Operational conditions	
Maximum resolution	203 x 203 DPI	Operating temperature (T-T)	5 - 45 °C
Print speed	250 mm/sec	Storage temperature (T-T)	-20 - 60 °C
Print speed (receipt)	250 mm/sec	Operating relative humidity (H-H)	10 - 90%
Printing characters	Text, Graphic, Barcode	Storage relative humidity (H-H)	10 - 90%
Character sets	ANK	Weight & dimensions	
Print technology *	Direct thermal	Width	127 mm
Type *	POS printer	Depth	127 mm
Paper handling		Height	127 mm
Maximum roll diameter	8.3 cm	Weight	1.3 kg
Supported paper width	58 mm - 80 mm (Breite)	Packaging data	
Ports & interfaces		Cables included	AC
USB port *	✓	Quantity per pack	1 pc(s)
USB 2.0 ports quantity	2	Package width	190 mm
USB connector	USB Type-A / USB Type-B	Package depth	230 mm
Serial interface *	✗	Package height	230 mm
Connectivity technology *	Wired	Package weight	2.4 kg
Near Field Communication (NFC)	✓	Packaging content	
Network		AC adapter included	✓
Ethernet LAN *	✓	Print technology	
Wi-Fi *	✗	Column capacity	48/57
Features		Logistics data	
Card reader integrated	✓	Pallet weight (UK)	0 g
Compatible memory cards	MicroSD (TransFlash)	Harmonized System (HS) code	84433210
Sound pressure level (printing)	55 dB	Products per master (outer) case	4 pc(s)
Mean time between failures (MTBF)	360000 h	Master (outer) case width	400 mm
Cutter	✓	Master (outer) case length	490 mm

Features		Logistics data	
Half-cutter	✓	Master (outer) case height	255 mm
Autocutter durability	2.2 million cuts	Master (outer) case gross weight	0 g
Tablet charge & sync	✓	Products per pallet	128 pc(s)
Print head life	150 km	Pallet gross weight	0 g
Country of origin	Philippines	Products per pallet (UK)	192 pc(s)
Mounting position	Horizontal/Vertical	Technical details	
Wall mountable	✓	Font styles	ANK
Built-in sensors details	Paper End Sensor, Papier-Sensor	Lifetime	17000000 lines
Design		Other features	
Product colour *	White	Buffer size	12 KB
Power		Mean cycles between failures (MCBF)	65000000
Power source type *	AC	Print head life	150.000.000 Impulse
Power plug type	Type C		



8715946689418

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 23-DEC-2024. Prints or copies of Information are only valid on the printed Publication date