



Lenovo AUZX Internal Ethernet 1000 Mbit/s

Brand : Lenovo

Product code: 7ZT7A00482

Product name : AUZX



2x RJ45, 1Gb, PCIe 2.0, BCM5720

Lenovo AUZX Internal Ethernet 1000 Mbit/s:

The Broadcom NetXtreme Gigabit Ethernet Adapters are a family of high performance PCI Express adapters. The adapters are available with either two ports or four ports and are supported on ThinkSystem and System x servers.

This product guide provides essential presales information to understand the NetXtreme GbE offerings and their key features, specifications, and compatibility. This guide is intended for technical specialists, sales specialists, sales engineers, IT architects, and other IT professionals who want to learn more about the adapters and consider their use in IT solutions.

Lenovo AUZX. Internal. Connectivity technology: Wired, Host interface: PCI Express, Interface: Ethernet. Maximum data transfer rate: 1000 Mbit/s. Product colour: Green

| Ports & interfaces | | System requirements | |
|------------------------------|--|--|--------|
| Connectivity technology * | Wired | Microsoft Windows Server 2008 HPC Edition, Windows 2008HPC Microsoft Windows Server 2008 R2 Microsoft Windows Server 2008, Datacenter x64 Edition Microsoft Windows Server 2008, Enterprise x64 Edition Microsoft Windows Server 2008, Enterprise x86 Edition Microsoft Windows Server 2008, Standard x64 Edition Microsoft Windows Server 2008, Standard x86 Edition Microsoft Windows Server 2008, Web x64 Edition Microsoft Windows Server 2008, Web x86 Edition Microsoft Windows Server 2012 Microsoft Windows Server 2012 R2 Microsoft Windows Server 2016 Microsoft Windows Small Business Server 2008 Premium Edition Microsoft Windows Small Business Server 2008 Standard Edition Red Hat Enterprise Linux 5 Server Edition Red Hat Enterprise Linux 5 Server with Xen x64 Edition Red Hat Enterprise Linux 5 Server x64 Edition Red Hat Enterprise Linux 6 Server Edition Red Hat Enterprise Linux 6 Server x64 Edition Red Hat Enterprise Linux 7 SUSE LINUX Enterprise Server 10 for AMD64/EM64T SUSE LINUX Enterprise Server 10 for x86 SUSE LINUX Enterprise Server 10 with Xen for AMD64/EM64T SUSE LINUX Enterprise Server 11 for AMD64/EM64T SUSE LINUX Enterprise Server 11 for x86 SUSE LINUX Enterprise Server 11 with Xen for AMD64/EM64T SUSE LINUX Enterprise Server 12 VMware ESX 4.1 VMware ESXi 4.1 VMware vSphere 5.0 (ESXi) VMware vSphere 5.1 (ESXi) VMware vSphere 5.5 (ESXi) VMware vSphere 6.0 (ESXi) | |
| Host interface * | PCI Express | | |
| Interface * | Ethernet | | |
| Ethernet LAN (RJ-45) ports | 2 | | |
| PCI version | 2.0 | | |
| PCI Card form factor | Full-height (low-profile) | | |
| Network | | Compatible operating systems | |
| Maximum data transfer rate * | 1000 Mbit/s | | |
| Networking standards * | IEEE 802.1Q, IEEE 802.3az | | |
| Ethernet LAN | ✓ | | |
| Ethernet interface type | Gigabit Ethernet | | |
| Ethernet LAN data rates | 10,100,1000 Mbit/s | | |
| Cabling technology | 10/100/1000BaseT(X) | | |
| Jumbo frames support | ✓ | | |
| Jumbo frames | 9600 | | |
| iSCSI support | ✓ | | |
| LAN controller | Broadcom BCM5720 | | |
| Design | | | |
| Product colour | Green | | |
| Internal * | ✓ | | |
| LED indicators | ✓ | | |
| Certification | EN55022 EN55024 EN60950 / CE EN 61000-3-2 EN 61000-3-3 ICES-003, Issue-004 IEC 950 CB Scheme FCC 47 CFR Part 15 Class A UL 1950 CSA C22.2 950-95 VCCI AS/NZSCISPR 22 / C-tick RRL for KC BSMI UL 94-/V | | |
| | | Weight & dimensions | |
| | | Width | 109 mm |
| | | Depth | 19 mm |
| | | Height | 69 mm |

Packaging data

| | |
|----------|---|
| Quantity | 1 |
|----------|---|

Technical details


| | |
|-------------------------|------|
| Compliance certificates | RoHS |
|-------------------------|------|

Logistics data

| | |
|-----------------------------|----------|
| Harmonized System (HS) code | 85176990 |
|-----------------------------|----------|

Other features

| | |
|----------------------|---|
| Flow control support | ✓ |
|----------------------|---|



0889488433582



889488433582

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.