

## Epson WorkForce DS-1660W Flatbed scanner 1200 x 1200 DPI A4 Black, White



**Brand :** Epson

**Product family:** WorkForce

**Product code:** B11B244401

**Product name :** DS-1660W

Epson WorkForce DS-1660W. Maximum scan size: 210 x 297 mm, Optical scanning resolution: 1200 x 1200 DPI, Enhanced scan resolution: 1200 x 1200 DPI. Scanner type: Flatbed scanner, Product colour: Black, White. Daily duty cycle (max): 1500 pages, Light source: ReadyScan LED, Scan file formats: JPG, PDF, TIFF. Auto document feeder (ADF) input capacity: 50 sheets. Maximum ISO A-series paper size: A4, ISO A-series sizes (A0...A9): A4, A5, A6, ISO B-series sizes (B0...B9): B5

Scanning		Packaging data	
Maximum scan size *	210 x 297 mm	Quantity per pack	1 pc(s)
Optical scanning resolution *	1200 x 1200 DPI	Package width	195 mm
Enhanced scan resolution	1200 x 1200 DPI	Package depth	520 mm
Colour scanning	✓	Package height	405 mm
Duplex scanning *	✓	Package weight	4.84 kg
Input colour depth	30 bit	Packaging content	
Output colour depth	24 bit	Software CD	✓
Input greyscale depth	10 bit	Warranty card	✓
Output greyscale depth	8 bit	Cables included	AC
ADF scan speed (b/w, A4)	25 ppm	Quick start guide	✓
ADF scan speed (colour, A4)	25 ppm	Drivers included	✓
Design		Bundled software	Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Scan 2
Scanner type *	Flatbed scanner	Sustainability	
Product colour *	Black, White	Sustainability certificates	ENERGY STAR
Built-in display *	✗	System requirements	
Performance		Compatible operating systems	Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.6.8, Mac OS X 10.6.8 or later, Windows 10, Windows 7, Windows 7, 64-Bit-Version, Windows 8, Windows 8 (32/64 Bit), Windows 8.1, Windows 8.1 x64 Edition, Windows Vista, Windows Vista, 64-Bit-Version
Light source	ReadyScan LED	Windows operating systems supported	Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows 8.1, Windows 8.1 x64, Windows Vista, Windows Vista x64
Scan file formats	JPG, PDF, TIFF	Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Daily duty cycle (max) *	1500 pages	Operational conditions	
Scan drivers	TWAIN	Operating temperature (T-T)	10 - 35 °C
Password protection	✓		
Scanning noise level	55 dB		
Input capacity			
Auto document feeder (ADF) input capacity	50 sheets		
Paper handling			
Maximum ISO A-series paper size *	A4		
ISO A-series sizes (A0...A9)	A4, A5, A6		
ISO B-series sizes (B0...B9)	B5		
Letter	✓		
Legal	✓		
Auto Document Feeder (ADF) media weight	50 - 120 g/m <sup>2</sup>		
Maximum scan area (ADF)	210 x 3048 mm		
Minimum scan area (ADF)	89 x 127 mm		

Ports & interfaces		Operational conditions	
USB port *	✓	Storage temperature (T-T)	-20 - 80 °C
USB version	3.2 Gen 1 (3.1 Gen 1)	Operating relative humidity (H-H)	20 - 80%
Optional connectivity	Ethernet	Storage relative humidity (H-H)	20 - 80%
Standard interfaces	USB 3.2 Gen 1 (3.1 Gen 1), Wireless LAN	Other features	
Network		Control panel	5-line LCD with Push Scan features
Wi-Fi	✓	Image formats supported	JPEG, TIFF
Wi-Fi standards	802.11a, 802.11b, 802.11g	Cabling technology	10/100/1000Base-T(X)
Ethernet LAN	✓	Logistics data	
IPv6 support	✓	Products per pallet	40 pc(s)
Supported network protocols	TCP/IP, DHCP, DNS, SNMP, SLP	Country of origin	Indonesia
Power		Pallet gross weight	0 g
Power supply type *	AC	Pallet gross length	120 cm
Weight & dimensions		Pallet gross width	80 cm
Width	451 mm	Pallet gross height	15 cm
Depth	318 mm	Products per pallet layer	8 pc(s)
Height	121 mm	Products per pallet layer (UK)	10 pc(s)
Weight	3.9 kg	Products per pallet (UK)	50 pc(s)
		Pallet weight (UK)	0 g
		Pallet length (UK)	120 cm
		Pallet width (UK)	100 cm
		Pallet height (UK)	15 cm
		Harmonized System (HS) code	84716070



8715946605661



4058154130742

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.