

Epson Fox Yksittäispakkaus, keltainen T1284 DURABrite Ultra -muste

Tuotemerkki : Epson

Tuoteperhe: Fox

Tuotekoodi: C13T12844012

Tuotteen nimi :

Yksittäispakkaus, keltainen
T1284 DURABrite Ultra -muste

Yksittäispakkaus, keltainen T1284 DURABrite Ultra -muste

Epson Fox Yksittäispakkaus, keltainen T1284 DURABrite Ultra -muste:

Edulliset, erilliset mustepatruunat

Epsonin erillisiä musteita käytettäessä säästöjä syntyy myös siitä, että vain loppuun kulunut väri täytyy vaihtaa.

Epsonin musteet on optimoitu Epsonin tulostimia varten

Epsonin musteet ja paperit on suunniteltu varta vasten Epsonin tulostimia varten, ja ne takaavat parhaan mahdollisen tuloksen kerta toisensa jälkeen.

Epson Fox Yksittäispakkaus, keltainen T1284 DURABrite Ultra -muste. Värimusteen tyyppi: Väriainepohjainen muste, Värimusteen sivun tuotto: 260 sivua, Värimusteen määrä: 3,5 ml, Tulostuskasettien väri(t): Keltainen, Lukumäärä per pakkaus: 1 kpl



Features		Packaging data	
Colour ink type	Pigment-based ink	Package type	Blister
Print technology	Inkjet printing	Other features	
	- Epson Stylus SX445W - Epson Stylus SX440W - Epson Stylus SX435W - Epson Stylus SX420W - Epson Stylus SX235W - Epson Stylus SX130 - Epson Stylus SX125 - Epson Stylus S22 - Epson Stylus Office BX305FW Plus - Epson Stylus Office BX305FW - Epson Stylus Office BX305F	Certification	CE
Compatibility *		Logistics data	
Quantity per pack *	1 pc(s)	Pallet gross width	80 cm
Colour ink cartridges quantity	1	Pallet gross length	120 cm
Colour ink volume	3.5 ml	Pallet gross height	15 cm
Colour ink page yield *	260 pages	Products per pallet	3400 pc(s)
Type *	Original	Pallet gross weight	0 g
Ink type	Pigment-based ink	Master (outer) case width	102 mm
Printing colours *	Yellow	Master (outer) case length	260 mm
Brand compatibility *	Epson	Master (outer) case height	146 mm
OEM code	C13T12844012	Products per master (outer) case	10 pc(s)
Country of origin	United Kingdom	Master (outer) case gross weight	0 g
Operational conditions		Master (outer) case GTIN (EAN/UPC)	8715946627724
Storage temperature (T-T)	-20 - 40 °C	Harmonized System (HS) code	84439990
Packaging data		Pallet weight (UK)	0 g
Package width	102 mm	Products per pallet (UK)	3400 pc(s)
		Products per pallet layer	340 pc(s)
		Products per pallet layer (UK)	340 pc(s)
		Minimum order quantity	10 pc(s)

Packaging data

Package depth	26 mm
Package height	145 mm
Package weight	42 g



8715946624648



8715946627977



4058154160312

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.