

## Epson TM-J7200 (301) W/O MICR,BLACK,INC PSU,EU

**Brand :** Epson

**Product code:** C31CF69301

**Product name :** TM-J7200 (301) W/O MICR,BLACK,INC PSU,EU

- Versatile inkjet POS printer: Faster, better quality and more versatile
- Low TCO: Similar overall costs to previous dot matrix model
- Durable prints: Print is now more resistant to water and light
- Simple maintenance: Ink and paper rolls are very easy to replace
- Backwards compatible: Crisp, clear text and glossy photos

TM-J7200 (301) W/O MICR,BLACK,INC PSU,EU

Epson TM-J7200 (301) W/O MICR,BLACK,INC PSU,EU. Print technology: Inkjet, Type: POS printer, Print speed: 98 mm/sec. Supported paper width: 58 - 83 mm, Media thickness: 0.06 - 0.09 mm, Maximum paper size (slip): 230 x 297 mm. Connectivity technology: Wired, USB connector: USB Type-B. Sound pressure level (printing): 55 dB, Mean time between failures (MTBF): 180000 h, Autocutter durability: 1.5 million cuts. Product colour: Black

Printing		Power	
Colour	✗	Power consumption (standby)	70000 mA
Print speed	98 mm/sec	<b>Operational conditions</b>	
Print speed (graphic)	98 mm/sec	Operating temperature (T-T)	10 - 35 °C
Print speed (receipt)	98 mm/sec	Storage temperature (T-T)	-20 - 40 °C
Print speed (slip)	85 mm/sec	Operating relative humidity (H-H)	20 - 80%
Printing characters	Text, Graphic, Barcode	Storage relative humidity (H-H)	20 - 85%
Character sets	ANK	<b>Weight &amp; dimensions</b>	
Alphanumeric memory	95	Width	195 mm
Print technology *	Inkjet	Depth	260 mm
Type *	POS printer	Height	188 mm
<b>Paper handling</b>		Weight	5.1 kg
Supported paper width	58 - 83 mm	<b>Packaging data</b>	
Media thickness	0.06 - 0.09 mm	Cables included	AC
Maximum paper size (slip)	230 x 297 mm	Quantity per pack	1 pc(s)
<b>Ports &amp; interfaces</b>		Package width	297 mm
USB port *	✓	Package depth	390 mm
USB 2.0 ports quantity	1	Package height	305 mm
USB connector	USB Type-B	Package weight	7.2 kg
Connectivity technology *	Wired	<b>Logistics data</b>	
Ethernet LAN (RJ-45) ports	1	Pallet weight (UK)	0 g
<b>Network</b>		Harmonized System (HS) code	84433210
Ethernet LAN *	✓	Products per pallet	48 pc(s)
Wi-Fi *	✗	Products per pallet layer	8 pc(s)
<b>Features</b>		Pallet gross width	80 cm
Sound pressure level (printing)	55 dB	Pallet gross length	120 cm
Mean time between failures (MTBF)	180000 h	Pallet gross height	171 cm
Half-cutter	✗	Pallet gross weight	0 g
Autocutter durability	1.5 million cuts	Products per pallet (UK)	60 pc(s)
Country of origin	China	Products per pallet layer (UK)	10 pc(s)
Printer receipt unit life	3700000000 lines	Pallet width (UK)	100 cm
Printer slip unit life	5000000 lines	Pallet length (UK)	120 cm
Safety	TÜV, TÜV (EN60950-1)	Pallet height (UK)	171 cm
Certification	CE, EN55024, EN55032 Class A, IEC61000-4-2, IEC61000-4-3, IEC61000-4-4, IEC61000-4-5, IEC61000-4-6, IEC61000-4-11	<b>Technical details</b>	
		Font styles	ANK
		Voltage	24 V
		<b>Other features</b>	
		Paper dimensions	58 mm - 83 mm

Design		Other features	
Product colour *	Black	Mean cycles between failures (MCBF)	5000000
Power			
Power source type *	DC		
AC input voltage	24 V		



8715946639031

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-DEC-2024. Prints or copies of Information are only valid on the printed Publication date