

## Epson TM-J7700(301) W/O MICR, BLACK, INC PSU, EU

**Brand :** Epson

**Product code:** C31CF70301

**Product name :** TM-J7700(301) W/O MICR, BLACK, INC PSU, EU



- Versatile inkjet POS printer: Faster, better quality and more versatile
  - Low TCO: Similar overall costs to previous dot matrix model
  - Durable prints: Print is now more resistant to water and light
  - Simple maintenance: Ink and paper rolls are very easy to replace
  - Backwards compatible: Crisp, clear text and glossy photos
- TM-J7700(301) W/O MICR, BLACK, INC PSU, EU

Epson TM-J7700(301) W/O MICR, BLACK, INC PSU, EU. Print technology: Inkjet, Type: POS printer, Print speed: 98 mm/sec. Supported paper width: 58 - 83 mm, Media thickness: 0.06 - 0.09 mm, Maximum paper size (slip): 230 x 297 mm. Connectivity technology: Wired, USB connector: USB Type-B. Ethernet LAN data rates: 10,100 Mbit/s. Sound pressure level (printing): 55 dB, Mean time between failures (MTBF): 180000 h, Autocutter durability: 1.5 million cuts

Printing		Power	
Colour	✗	AC input voltage	24 V
Print speed	98 mm/sec	Power consumption (standby)	70000 mA
Print speed (graphic)	98 mm/sec	<b>Operational conditions</b>	
Print speed (receipt)	98 mm/sec	Operating temperature (T-T)	10 - 35 °C
Print speed (slip)	85 mm/sec	Storage temperature (T-T)	-20 - 40 °C
Printing characters	Text, Graphic, Barcode	Operating relative humidity (H-H)	20 - 80%
Character sets	ANK	Storage relative humidity (H-H)	20 - 85%
Alphanumeric memory	95	<b>Weight &amp; dimensions</b>	
Print technology *	Inkjet	Width	251 mm
Type *	POS printer	Depth	260 mm
<b>Paper handling</b>		Height	188 mm
Supported paper width	58 - 83 mm	Weight	5.8 kg
Media thickness	0.06 - 0.09 mm	<b>Packaging data</b>	
Maximum paper size (slip)	230 x 297 mm	Cables included	AC
<b>Ports &amp; interfaces</b>		Quantity per pack	1 pc(s)
USB port *	✓	Package width	350 mm
USB 2.0 ports quantity	1	Package depth	390 mm
USB connector	USB Type-B	Package height	310 mm
Connectivity technology *	Wired	Package weight	7.88 kg
Ethernet LAN (RJ-45) ports	1	<b>Logistics data</b>	
<b>Network</b>		Pallet weight (UK)	0 g
Ethernet LAN *	✓	Harmonized System (HS) code	84433210
Ethernet LAN data rates	10,100 Mbit/s	Products per pallet	36 pc(s)
Wi-Fi *	✗	Products per pallet layer	6 pc(s)
<b>Features</b>		Pallet gross width	80 cm
Sound pressure level (printing)	55 dB	Pallet gross length	120 cm
Mean time between failures (MTBF)	180000 h	Pallet gross height	111 cm
		Pallet gross weight	0 g

Features		Logistics data	
Half-cutter	✘	Products per pallet (UK)	36 pc(s)
Autocutter durability	1.5 million cuts	Products per pallet layer (UK)	6 pc(s)
Country of origin	China	Pallet width (UK)	100 cm
Printer receipt unit life	3700000000 lines	Pallet length (UK)	120 cm
Printer slip unit life	5000000 lines	Pallet height (UK)	111 cm
Safety	TÜV, TÜV (EN60950-1)	Technical details	
Certification	CE, EN55024, EN55032 Class A, IEC61000-4-2, IEC61000-4-3, IEC61000-4-4, IEC61000-4-5, IEC61000-4-6, IEC61000-4-11	Font styles	ANK
Design		Other features	
Product colour *	Black	Paper dimensions	58 mm - 83 mm
		Mean cycles between failures (MCBF)	5000000



8715946639062

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-DEC-2024. Prints or copies of Information are only valid on the printed Publication date