

Epson TM-J7700(321) W/O MICR,WHITE, INC PSU, EU

Tuotemerkki : Epson

Tuotekoodi: C31CF70321

Tuotteen nimi : TM-J7700(321) W/O MICR,WHITE, INC PSU, EU



- Monipuolinen POS-mustesuihkutulostin: Nopeampi, parempi laatu ja entistä monipuolisemmat toiminnot

- Käytössä edullinen: Aiempaa pistematriisimallia vastaavat kokonaiskäyttökustannukset

- Kestävät tulosteet: Tulosteet kestävät entistä paremmin vettä ja valoa

- Vaivaton ylläpito: Muste- ja paperirullien vaihtaminen on erittäin helppoa

- Yhteensopiva vanhemman tekniikan kanssa: Terävä ja selkeä teksti sekä kiiltävät kuvat

TM-J7700(321) W/O MICR,WHITE, INC PSU, EU

Epson TM-J7700(321) W/O MICR,WHITE, INC PSU, EU. Tulostustekniikka: Mustesuihku, Malli:

Maksupäätetulostin, Tulostusnopeus: 98 mm/s. Tuetut paperin leveydet: 58 - 83 mm, Materiaalin paksuus: 0.06 - 0.09 mm, Paperin enimmäiskoko (lipuke): 230 x 297 mm. Yhteysteknologia: Langallinen, USB-liitin: USB B-tyyppi. Ethernet LAN -datanopeudet: 10,100 Mbit/s. Äänenpainetaso (tulostus): 55 dB, Keskimääräinen vikaantumisaika: 180000 h, Automaattisen leikkaajan kestävyys: 1,5 miljoonaa leikkausta

Printing		Features	
Colour	✗	Certification	CE, EN55024, EN55032 Class A, IEC61000-4-2, IEC61000-4-3, IEC61000-4-4, IEC61000-4-5, IEC61000-4-6, IEC61000-4-11
Print speed	98 mm/sec	Design	
Print speed (graphic)	98 mm/sec	Product colour *	Black
Print speed (receipt)	98 mm/sec	Power	
Print speed (slip)	85 mm/sec	Power source type *	DC
Printing characters	Text, Graphic, Barcode	AC input voltage	24 V
Character sets	ANK	Power consumption (standby)	70000 mA
Alphanumeric memory	95	Operational conditions	
Print technology *	Inkjet	Operating temperature (T-T)	10 - 35 °C
Type *	POS printer	Storage temperature (T-T)	-20 - 40 °C
Paper handling		Operating relative humidity (H-H)	20 - 80%
Supported paper width	58 - 83 mm	Storage relative humidity (H-H)	20 - 85%
Media thickness	0.06 - 0.09 mm	Weight & dimensions	
Maximum paper size (slip)	230 x 297 mm	Width	251 mm
Ports & interfaces		Depth	260 mm
USB port *	✓	Height	188 mm
USB 2.0 ports quantity	1	Weight	5.8 kg
USB connector	USB Type-B	Packaging data	
Connectivity technology *	Wired	Cables included	AC
Ethernet LAN (RJ-45) ports	1	Quantity per pack	1 pc(s)
Network		Package width	355 mm
Ethernet LAN *	✓	Package depth	390 mm
Ethernet LAN data rates	10,100 Mbit/s	Package height	310 mm
Wi-Fi *	✗	Package weight	7.87 kg
Features			
Sound pressure level (printing)	55 dB		
Mean time between failures (MTBF)	180000 h		

Features		Logistics data	
Half-cutter	✘	Pallet weight (UK)	0 g
Autocutter durability	1.5 million cuts	Harmonized System (HS) code	84433210
Country of origin	China	Products per pallet	36 pc(s)
Printer receipt unit life	3700000000 lines	Pallet gross weight	0 g
Printer slip unit life	5000000 lines	Products per pallet (UK)	36 pc(s)
Safety	TÜV, TÜV (EN60950-1)	Technical details	
		Font styles	ANK
		Other features	
		Paper dimensions	58 mm - 83 mm
		Mean cycles between failures (MCBF)	5000000



8715946639079

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-DEC-2024. Prints or copies of Information are only valid on the printed Publication date