

## DELL TB18DC Wired USB 3.2 Gen 1 (3.1 Gen 1) Type-B Black

Brand : DELL Product code: 452-BDGR

Product name: TB18DC

210W, Gigabit LAN, VGA, HDMI, DP, Mini DP, Thunderbolt DELL TB18DC. Connectivity technology: Wired, Host interface: USB 3.2 Gen 1 (3.1 Gen 1) Type-B, Headphone connectivity: 3.5 mm. Ethernet LAN data rates: 10,100,1000 Mbit/s, Copper ethernet cabling technology: 10BASE-T, 100BASE-T, 100BASE-TX, 1000BASE-TX. Product colour: Black, Maximum digital resolution: 3840 x 2160 pixels, Compatibility: Precision Mobile Workstation 7530, 7730. Power source type: DC, AC input voltage: 120-230 V, AC input frequency: 50 - 60 Hz. Windows operating systems supported: Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10..., Linux operating systems supported: Ubuntu 16.04





USB 2.0 ports quantity*  USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity*  1				
Bots interface	Ports & interfaces		Performance	
USB 3.0 ports quantity* 2 USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity* 7 10 HDMI ports quantity* 1 11	, 3,		Product colour *	
ports quantity* 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			Compatibility	Precision Mobile Workstation 7530, 7730
HDMI ports quantity * 1		3		
Headphone outputs* 1 3.5 mm  Headphone connectivity 3.5 mm  Line-in 4 4 4 4 5 4 6 Windows 10 Education Windows 10 Education Windows 10 Enterprise x64, Windows 10 DC-in jack Windows 10 Frome, Windows 10 Pro Windows 10 Pr	HDMI ports quantity * 1 DisplayPorts quantity 2 Thunderbolt 3 ports quantity 1	2	AC input voltage AC input frequency	120-230 V 50 - 60 Hz
Headphone connectivity Line-in Line-in Line-out USB Type-A, USB Type-B USB Type-A, USB Type-B DC-in jack USB Type-A, USB Type-B DC-in jack  Network  Ethernet LAN * Ethernet LAN (R]-45) ports Ethernet LAN (R]-45) ports 1 Bidnast-T, 1000BASE-T, 1000BASE-TX Copper ethernet cabling technology 100BASE-T, 1000BASE-T, 1000BASE-TX  Performance  Card reader integrated * Maximum digital resolution Namimum	•	1	Software	
Networkx64, Windows 7, Windows 7Ethernet LAN *\$\lambda \text{Cthernet LAN (RJ-45) ports}\$1Ethernet LAN data rates10,100,1000 Mbit/sWindows operating systemsWindows 7 Home Basic x64, Windows 7 Home Premium x64, Windows 7 Windows 7 Starter, Windows 7 Villimate, Windows 7 Villimate, Windows 7 Villimate, Windows 7 Villimate, Windows 8 Literprise x64, Windows 8 Windows 8 Enterprise x64, Windows 8 Fire prise, Windows 8 Literprise x64, Windows 8 Vindows 8 Literprise x64, Windows 8 Vindows 8 Literprise x64, Windows 8 Literprise x64,	Line-in Line-out USB connector type	✓ ✓ USB Type-A, USB Type-B		Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core,
Ethernet LAN *	Network			x64, Windows 7, Windows 7
Performance  Card reader integrated *  Maximum digital resolution  Number of displays supported  Cable lock slot  April 1	Ethernet LAN (RJ-45) ports Ethernet LAN data rates	1 10,100,1000 Mbit/s 10BASE-T, 100BASE-TX,		x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7
Card reader integrated *  Maximum digital resolution  3840 x 2160 pixels  Number of displays supported  Cable lock slot  Application  Supported  Cable lock slot  Application  Cable lock slot  Application  Supported  Cable lock slot  Application  Supported  Weight & dimensions  Width  Supported  Weight & dimensions  Width  Supported  Weight & dimensions	Performance			Starter, Windows 7 Starter x64,
Weight & dimensions Width 145 mm	Maximum digital resolution 3840 Number of displays supported 3	3840 x 2160 pixels 3		Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro
Width 145 mm			Linux operating systems supported	Ubuntu 16.04
			Weight & dimensions	
Depth 145 mm			Width	145 mm
			Depth	145 mm

Weight & dimensions	
Weight & uniferisions	
Height	52 mm
Height (front)	5.2 cm
Height (rear)	5.2 cm
Weight	720 g
Packaging content	
Warranty card	✓
Cables included	Thunderbolt
Manual	✓
Drivers included	✓
Logistics data	
Harmonized System (HS) code	84733020



5704174086727

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.