## Veho Muvi KZ-2 Pro Drivecam 4K Dashcam - (VDC-003-KZ2)

Brand: Veho Product code: VDC-003-KZ2

**Product name :** Muvi KZ-2 Pro Drivecam 4K Dashcam - (VDC-003-KZ2)

- High video quality 4k@30fps
- Equipped with superior night vision so you will never miss a detail
- Automatically turns on and starts recording when driving, stops when you turn the engine off
- Supports up to 128GB microSD card, not included. We recommend a U3 grade card from a well known brand

Muvi KZ-2 Pro Drivecam 4K Dashcam - (VDC-003-KZ2)

## Veho Muvi KZ-2 Pro Drivecam 4K Dashcam - (VDC-003-KZ2):

The Muvi KZ-2 Pro Drivecam is the ultimate Dashcam experience. The KZ-2 captures your journey in 4K making identifying number plates much easier. Fully equipped with motion detection for automatic start/stop recording and a G-Force sensor, so should your car be involved in a collision, your files will be automatically protected.





Performance		Power	
HD type * 4K Ultra HD  Number of cameras * 1  Main camera resolution 3840 x 2160 pixels  Main camera viewing angle 140°  Maximum frame rate 30 fps  G-shock sensor * ✓  Video compression formats H.264, H.265  Motion sensor ✓  Video loop recording ✓  Display	1 3840 x 2160 pixels 140° 30 fps	Power source type * Operating voltage Built-in battery Battery technology Battery capacity Weight & dimensions	USB 5 V ✓ Lithium-Ion (Li-Ion) 150 mAh
	Width Depth Height Weight	86.5 mm 16.5 mm 57 mm 107 g	
Built-in display *	<b>V</b>	Packaging data	
Display Display diagonal	IPS 7.62 cm (3")	Package width Package depth	150 mm 69 mm
Storage		Package height Package weight	108 mm 370 g
Compatible memory cards *  Maximum memory card size  Built-in storage media *	MicroSD (TransFlash) 128 GB X	Packaging content Suction cup	√
Audio		Cables included	USB
Audio recording * Built-in speaker(s)	<i>'</i>	Accessories included	12v power adapter, Windscreen suction mount, 2m USB cable, Multi- lingual quick start guide
Still image		Operational conditions	
Photo mode	<b>✓</b>	Operating temperature (T-T)	-20 - 70 °C
Photo feature	✓	Logistics data	
Image formats supported	JPG	Master (outer) case width	385 mm
Ports & interfaces Wi-Fi *	×	Master (outer) case length  Master (outer) case height  Master (outer) case gross weight	350 mm 240 mm 8 kg

Ports & interfaces

Bluetooth \*

Products per master (outer) case 20 pc(s)

Interface type \* Mini-USB





811805030983

0811805030983



5060594760785

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.