

## Lenovo 40A50230 Docking Black

Brand: Lenovo Product code: 04W3955

Product name: 40A50230

6x USB 3.0, 2x DisplayPort 1.2, Gigabit Ethernet, HDMI 1.4, DVI-D, VGA, 3.5mm Combo, 230W, Taiwan Lenovo 40A50230. Connectivity technology: Docking, Headphone connectivity: 3.5 mm. Ethernet LAN data rates: 10,100,1000 Mbit/s. Product colour: Black, Maximum digital resolution: 3840 x 2160 pixels, Brand compatibility: Lenovo. Power source type: AC, AC input voltage: 100 - 240 V, AC input frequency: 50 - 60 Hz. Windows operating systems supported: Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64,...





Ports & interfaces		Power		
Connectivity technology * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	Docking 6	Power source type AC input voltage AC input frequency	AC 100 - 240 V 50 - 60 Hz	
HDMI ports quantity * HDMI version	1 1.4	Software		
VGA (D-Sub) ports quantity DisplayPorts quantity DVI-D ports quantity Microphone in * Combo headphone/mic port Headphone connectivity DC-in jack	1.4 1 2 1 <b>X</b> <b>✓</b> 3.5 mm		Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic, Windows 7 Home Basic, Windows 7 Home	
Network		Premium, Windows 7 Home		
Ethernet LAN * Ethernet LAN (RJ-45) ports Ethernet LAN data rates	1 10,100,1000 Mbit/s	Windows operating systems supported	Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7	
Performance			Ultimate x64, Windows 8, Windows	
Card reader integrated * Maximum digital resolution Number of displays supported Cable lock slot Product colour *	X 3840 x 2160 pixels 3  ✓ Black Lenovo ThinkPad P50/P70 AS / NZS S-DOC, VCCI, BSMI, KCC, NOM, GOST, CB, CE, UkrSEPRO, EC-DoC, UL, FCC		8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64	
Brand compatibility		Operational conditions		
AS / Certification NOM		Operating temperature (T-T)	0 - 43 °C	
		Operating relative humidity (H-H)	8 - 95%	
		Weight & dimensions		
		Width Depth Height Weight	402.2 mm 165.4 mm 55.6 mm 980 g	
		Packaging data		
		Package width Package depth Package height Package weight	443 mm 215 mm 112 mm 2.64 kg	
		Packaging content		
		Cables included AC adapter included	AC ✓	

✓		
✓		
	1	<b>4</b>

