

## **DELL TB16 Wired Thunderbolt 3 Black**

Brand: DELL Product code: TBDOCK-240W

**Product name:** TB16

240W, 2 x USB 2.0, 3 x USB 3.0, 1 x Thunderbolt 3 (USB-C), 1 x LAN DELL TB16. Connectivity technology: Wired, Host interface: Thunderbolt 3, HDMI version: 1.4a. Ethernet LAN data rates: 10,100,1000 Mbit/s. Product colour: Black, Cable lock slot type: Kensington, Brand compatibility: Dell. Power source type: AC, AC input voltage: 100-240 V, AC input frequency: 50-60 Hz. Depth: 145 mm, Height: 52 mm, Weight: 720 g





Ports & interfaces		Performance	
Connectivity technology * Wired  Host interface * Thunderbolt 3  USB 2.0 ports quantity * 2  USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * 3  HDMI ports quantity * 1	Compatibility	XPS 13 (9350) XPS 15 (9550) XPS 12 (9250) Precision 15 7000 Series (7510) Precision 17 7000 Series (7710) Precision 15 3000 Series (3510) Precision 15 5000 Series (5510) XPS 13 (9360) XPS 9560 Precision 5520 Precision 3520	
HDMI version	1.4a	Power	
VGA (D-Sub) ports quantity DisplayPorts quantity Mini DisplayPorts quantity Thunderbolt 3 ports quantity Microphone in * Combo headphone/mic port Headphone connectivity Line-out USB connector type DC-in jack	1 1 1 1 X    3.5 mm   USB Type-A, USB Type-C	Power source type AC input voltage AC input frequency Input current Power supply Output voltage Output current Power consumption (standby)  Software Windows operating systems supported	AC 100-240 V 50 - 60 Hz 3.5 A 240 W 19.5 V 12.31 A 5.8 W
Network  Ethernet LAN *		Operational conditions	
Ethernet LAN (RJ-45) ports Ethernet LAN data rates  Performance	1 10,100,1000 Mbit/s	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	0 - 35 °C -20 - 60 °C 10 - 80% 5 - 90%
Card reader integrated *	x		J - 30 /0
Cable lock slot Cable lock slot type Product colour * LED indicators	Kensington Black	Weight & dimensions  Depth  Height  Weight	145 mm 52 mm 720 g

Performance		Packaging content	
Brand compatibility	Dell	Cables included	USB Type-C
		AC adapter included	✓
		Manual	✓
		Logistics data	
		Harmonized System (HS) code	84733020



5397064019907

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.