



DELL TB16 Langallinen Thunderbolt 3 musta

Tuotemerkki : DELL

Tuotekoodi: TBDOCK-240W

Tuotteen nimi : TB16

DELL TB16. Yhteysteknologia: Langallinen, Isäntäkoneen käyttöliittymä: Thunderbolt 3, HDMI-versio: 1.4a. Ethernet LAN -datanopeudet: 10,100,1000 Mbit/s. Tuotteen väri: musta, Kaapelilukon aukkotyyppi: Kensington, Tuotemerkin yhteensopivuus: Dell. Virtalähteen malli: AC, AC-syöttöjännite: 100-240 V, AC-syöttötaajuus: 50 - 60 Hz. Tuotteen syvyys: 145 mm, Tuotteen korkeus: 52 mm, Paino: 720 g



Ports & interfaces		Performance	
Connectivity technology *	Wired	Compatibility	XPS 13 (9350) XPS 15 (9550) XPS 12 (9250) Precision 15 7000 Series (7510) Precision 17 7000 Series (7710) Precision 15 3000 Series (3510) Precision 15 5000 Series (5510) XPS 13 (9360) XPS 9560 Precision 5520 Precision 3520
Host interface *	Thunderbolt 3		
USB 2.0 ports quantity *	2		
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3		
HDMI ports quantity *	1		
HDMI version	1.4a		
VGA (D-Sub) ports quantity	1		
DisplayPorts quantity	1		
Mini DisplayPorts quantity	1		
Thunderbolt 3 ports quantity	1		
Microphone in *	✗		
Combo headphone/mic port	✓		
Headphone connectivity	3.5 mm		
Line-out	✓		
USB connector type	USB Type-A, USB Type-C		
DC-in jack	✓		
Network		Power	
Ethernet LAN *	✓	Power source type	AC
Ethernet LAN (RJ-45) ports	1	AC input voltage	100-240 V
Ethernet LAN data rates	10,100,1000 Mbit/s	AC input frequency	50 - 60 Hz
Performance		Input current	3.5 A
Card reader integrated *	✗	Power supply	240 W
Cable lock slot	✓	Output voltage	19.5 V
Cable lock slot type	Kensington	Output current	12.31 A
Product colour *	Black	Power consumption (standby)	5.8 W
LED indicators	✓	Software	
		Windows operating systems supported	✓
		Operational conditions	
		Operating temperature (T-T)	0 - 35 °C
		Storage temperature (T-T)	-20 - 60 °C
		Operating relative humidity (H-H)	10 - 80%
		Storage relative humidity (H-H)	5 - 90%
		Weight & dimensions	
		Depth	145 mm
		Height	52 mm
		Weight	720 g

Performance

Brand compatibility Dell

Packaging content

Cables included USB Type-C
AC adapter included ✓
Manual ✓

Logistics data

Harmonized System (HS) code 84733020



5397064019907

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.