

Epson SureColor SC-P7500 Spectro large format printer Inkjet Colour 1200 x 2400 DPI A1 (594 x 841 mm) Ethernet LAN

Brand : Epson

Product family: SureColor

Product code: C11CH12301A2

Product name : SC-P7500

Spectro

Epson SureColor SC-P7500 Spectro. Print technology: Inkjet, Maximum resolution: 1200 x 2400 DPI, Page description languages: ESC/P-R. Maximum print size: A1 (594 x 841 mm), ISO A-series sizes (A0...A9): A1, A2, A3, A3+, A3++, A4, ISO B-series sizes (B0...B9): B2, B3, B4. Ethernet interface type: Gigabit Ethernet, USB connector: USB Type-A, Ethernet LAN data rates: 10,100,1000 Mbit/s. Product colour: Black, Grey, Display: LCD, Control type: Touch. Power supply: 85 W, Power consumption (standby): 3.4 W, Power consumption (typical): 85 W



Printing		Performance	
Print head nozzles	800 nozzles black, 800 nozzles per colour	Display	LCD
Print technology *	Inkjet	Colour display	✓
Colour *	✓	Control type	Touch
Maximum resolution *	1200 x 2400 DPI	Internal memory	2048 MB
Page description languages *	ESC/P-R	Sound pressure level (printing)	49.5 dB
Printing colours *	Photo black, Matte black, Cyan, Light Cyan, Yellow, Vivid magenta, Vivid light magenta, Violet, Orange, Green, Grey, Light grey	Country of origin	China
Borderless printing	✓	Power	
Print cartridge volume (metric)	700 ml	Power supply	85 W
		Power consumption (standby)	3.4 W
		Power consumption (typical)	85 W
		Power consumption (off)	0.3 W
		AC input voltage	100-240 V
		AC input frequency	50 - 60 Hz
Paper handling		Weight & dimensions	
Maximum print size *	A1 (594 x 841 mm)	Width	1401 mm
ISO A-series sizes (A0...A9)	A1, A2, A3, A3+, A3++, A4	Depth	667 mm
ISO B-series sizes (B0...B9)	B2, B3, B4	Height	1218 mm
Media thickness	0.08 - 1.5 mm	Weight	134.5 kg
Maximum roll width	61 cm		
Borderless printing width	10, 11.81, 12.95, 15.98, 17.01, 20.28, 23.39, 24.02, 20"	Packaging data	
Ports & interfaces		Package width	800 mm
Wi-Fi *	✗	Package depth	1490 mm
Ethernet interface type	Gigabit Ethernet	Package height	1180 mm
Ethernet LAN *	✓	Package weight	168 kg
USB port *	✗	Other features	
USB connector	USB Type-A	Touchscreen	✓
USB 3.2 Gen 1 (3.1 Gen 1) ports quantity	1	Ink drop	3.5
Ethernet LAN data rates	10,100,1000 Mbit/s	Logistics data	
RJ-45 ports quantity	1	Quantity per pack	1 pc(s)
Performance		Harmonized System (HS) code	84433210
Product colour *	Black, Grey		

Performance

Built-in display *





8715946679396

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 18-DEC-2024. Prints or copies of Information are only valid on the printed Publication date