



HP USB-C -verkkovirtasovitin, 45 W

Tuotemerkki : HP

Tuotekoodi: N8N14AA

Tuotteen nimi : USB-C -verkkovirtasovitin, 45 W

- PD-tekniikka havaitsee automaattisesti ja toimittaa 5, 9, 12, tai 15 voltin jännitettä laitteen tarpeiden mukaan.
 - Tässä 45 watin USB-C®-verkkovirtalaitteessa voit käyttää nykyistä HP Smart -verkkovirtalaitteen virtajohtoasi.
 - Testattu ja hyväksytty Chromebook-yhteensopivuusstandardeja noudattavaksi. Työskentele, opiskele ja pelaa keskeytyksettä nopeaa ja helppoa yhteydenpitoa varten.
 - Tukena on yhden vuoden rajoitettu takuu.
 - HP:n normaali yhden vuoden rajoitettu takuu antaa mielenrauhan.
- USB-C -verkkovirtasovitin, 45 W



HP USB-C -verkkovirtasovitin, 45 W:

Fiksumpi tapa syöttää virtaa laitteeseen

HP:n 45 watin USB-C®-verkkovirtalaite tukee neljää eri jännitettä, ja liitin on ohuempi kuin tavanomaiset pyöreät virtaliittimet.

HP USB-C -verkkovirtasovitin, 45 W. Tarkoitus: Kannettava tietokone, Virtalähteen tyyppi: Sisätila, Lähtöteho: 45 W. DC-ulostulon jännite: 15V. Liitäntä: USB-C. Tuotteen väri: musta. Tuotteen leveys: 94 mm, Tuotteen syvyys: 40 mm, Tuotteen korkeus: 26,5 mm

| Ominaisuudet | | Paino ja mitat | |
|-----------------------|---|--------------------------------|--|
| Tarkoitus * | Kannettava tietokone | Tuotteen syvyys | 40 mm |
| Virtalähteen tyyppi * | Sisätila | Tuotteen korkeus | 26,5 mm |
| Lähtöteho * | 45 W | Paino | 193 g |
| Lähtövirta | 3 A | Pakkaustiedot | |
| Yhteensopivuus | Spectre x2 12-a0xx; HP Pavilion x2 10-n1xx; Pavilion x2 10-n0xx | Sisältää johdot | AC |
| Virranhallinta | | Pika-asennusopas | ✓ |
| DC-ulostulon jännite | 15V | Pakkauksen leveys | 235 mm |
| Suorituskyky | | Pakkauksen syvyys | 116 mm |
| Liitäntä | USB-C | Pakkauksen korkeus | 65 mm |
| Suunnittelu | | Pakkauksen paino | 380 g |
| Tuotteen väri * | musta | Erityisominaisuudet | |
| Paino ja mitat | | HP GTIN (EAN/UPC) with options | (ABB) 195908316435; (ABT) 195908316459; (ABU) 195908316466; (ABZ) 195908316473; (UUZ) 195908316480 |
| Tuotteen leveys | 94 mm | HP GTIN (EAN/UPC) | 195908316435, 195908316459, 195908316466, 195908316473, 195908316480 |




0889894037244




889894037244




0195908316480



195908316480



0195908316459



195908316459



0195908316466



195908316466



0195908316473



195908316473




0195908316442



195908316442



0195908316640



195908316640

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.