

## DELL E Series E2222H LED display 54,5 cm (21.4") 1920 x 1080 pikseliä Full HD LCD musta

Tuotemerkki : DELL Tuoteperhe: E Series Tuotekoodi: DELL-E2222H

Tuotteen nimi: E2222H

DELL E Series E2222H. Näytön halkaisija: 54,5 cm (21.4"), Näytön erottelutarkkuus: 1920 x 1080 pikseliä, HD-tyyppi: Full HD, Näytön teknologia: LCD, Vasteaika (tyypillinen): 10 ms, Vakiokuvasuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. VESA-kiinnitys. Tuotteen väri: musta





Display		Power	
Display diagonal * Display resolution *	54.5 cm (21.4") 1920 x 1080 pixels	Energy consumption (HDR) per 1000 hours *	12 kWh
HD type *	Full HD	Power consumption (typical) *	12.1 W
Native aspect ratio *	16:9	Power consumption (standby) *	0.3 W
Display technology *	LCD	Power consumption (max)	19 W
Panel type *	VA	Power consumption (off)	0.3 W
Backlight type	LED	AC input voltage	100 - 240 V
Touchscreen *	X	AC input frequency	50 - 60 Hz
Display brightness (typical)	250 cd/m <sup>2</sup>	Power supply type	Internal
Response time *	10 ms	Energy efficiency scale	A to G
Anti-glare screen	10 IIIS ✓	European Product Registry for Energy Labelling (EPREL) code	605294
Screen shape *	Flat	Operational conditions	
Contrast ratio (typical) *	3000:1	•	0 40.00
Maximum refresh rate *	60 Hz	Operating temperature (T-T)	0 - 40 °C
Viewing angle, horizontal	178°	Storage temperature (T-T)	-20 - 60 °C
Viewing angle, vertical	178°	Operating relative humidity (H-H)	10 - 80%
Display number of colours *	16.7 million colours	Storage relative humidity (H-H)	5 - 90%
Response time (fast)	5 ms	Operating altitude	0 - 5000 m
Pixel pitch	0.249 x 0.241 mm	Non-operating altitude	0 - 12192 m
Pixel density	103 ppi	Weight & dimensions	
Horizontal scan range	30 - 83 kHz	Width (with stand)	504.3 mm
Vertical scan range	50 - 75 Hz	Depth (with stand)	171 mm
Viewable size, horizontal	47.9 cm	Height (with stand)	384.2 mm
Viewable size, vertical	26 cm	Weight (with stand)	2.59 kg
Display diagonal (metric)	54.48 cm	Width (without stand)	504.3 mm
High Dynamic Range (HDR) supported	×	Depth (without stand)	49.6 mm
Colour gamut standard	NTSC	Height (without stand)	295.4 mm
Colour gamut	72%	Weight (without stand)	2.26 kg
3		Bezel width (side)	1.28 cm

Energy consumption (SDR) per 1000  $\,$  12 kWh hours \*



5397184505342

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.