

Logitech Signature M650 for Business hiiri Office Oikeakätinen RF Wireless + Bluetooth Optinen 4000 DPI

Tuotemerkki : Logitech

Tuotekoodi: 910-006275

Tuotteen nimi : Signature M650 for Business

Logitech Signature M650 for Business. Kotelo: Oikeakätinen. Liikkeen tunnistusteknologia: Optinen, Laitteen käyttöliittymä: RF Wireless + Bluetooth, Liikkeen erottelutarkkuus: 4000 DPI, Painikkeen tyyppi: Painettavat painikkeet, Painikkeiden määrä: 5, Vierityksen tyyppi: Rulla. Voimanlähde: Paristot. Tuotteen väri: Valkoinen



logi bolt



Mouse		System requirements	
Number of scroll wheels	1	Mobile operating systems supported	Android 5.0, iOS, iPadOS
Scrolling directions	Vertical	Other operating systems supported	ChromeOS
Purpose *	Office	Operational conditions	
Device interface *	RF Wireless + Bluetooth	Operating temperature (T-T)	0 - 40 °C
Movement detection technology *	Optical	Storage temperature (T-T)	-5 - 45 °C
Movement resolution *	4000 DPI	Weight & dimensions	
Buttons type	Pressed buttons	Width	61.8 mm
Scroll type *	Wheel	Depth	107.2 mm
Buttons quantity *	5	Height	37.8 mm
Button functions	Forward	Weight	101.2 g
Buttons durability (million clicks)	10	Receiver width	1.44 cm
Bluetooth Low Energy (BLE)	✓	Receiver depth	6.1 mm
Design		Receiver height	1.87 cm
Form factor *	Right-hand	Receiver weight	1.8 g
Ergonomic design	✓	Packaging data	
Mouse size	M	Quantity per pack *	1 pc(s)
Product colour *	White	Package width	52.6 mm
Surface coloration	Monochromatic	Package depth	84.2 mm
Rubber grips	✓	Package height	142.1 mm
Ergonomics		Package weight	160 g
Wireless range	10 m	Packaging content	
Power		Receiver included	✓
Power source *	Batteries	Wireless receiver interface	USB Type-A
Number of batteries supported	1	Receiver type	Nano receiver
Battery type	AA	Batteries included	✓
Battery technology	Alkaline	User guide	✓
Service life of battery	24 month(s)		

System requirements		Sustainability	
Windows operating systems supported	Windows 10, Windows 11	Post-consumer recycled plastic	26%
Mac operating systems supported	Mac OS X 10.10 Yosemite	Other features	
Linux operating systems supported	✓	Compatibility	Logi Bolt USB Receiver
Logistics data			
Harmonized System (HS) code		84716070	
Master (outer) case width		177 mm	
Master (outer) case length		272 mm	
Master (outer) case height		156 mm	
Master (outer) case gross weight		1.82 kg	



5099206097261

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-DEC-2024. Prints or copies of Information are only valid on the printed Publication date