SAMSUNG

Samsung S60UA computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LED Black

Brand : Samsung

Product family: ViewFinity

Product code: LS27A60PUUUXEN

Product name : S60UA

Samsung S60UA. Display diagonal: 68.6 cm (27"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LED, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black







Display

| Display | | Ergonomics | |
|---|--|---|--|
| Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Touchscreen * Display brightness (typical) | 68.6 cm (27") 2560 x 1440 pixels Quad HD 16:9 LED IPS X 300 cd/m ² | Height adjustment * Height adjustment Pivot Pivot angle Swivelling Swivel angle range Tilt adjustment Tilt angle range | ✓ 12 cm ✓ -2 - 92° ✓ -30 - 30° ✓ -2 - 25° |
| Response time * Screen shape * | 5 ms Flat | Picture-in-Picture | 1 |
| Contrast ratio (typical) * | 1000:1 | Power | |
| Dynamic contrast ratio marketing name | Mega Contrast | Energy efficiency class (SDR) * Energy efficiency class (HDR) * | E G |
| Maximum refresh rate * | 75 Hz | Energy consumption (SDR) per 1000 hours * | ⁾ 21 kWh |
| Viewing angle, horizontal Viewing angle, vertical | 178° 178° | Energy consumption (HDR) per 1000 hours * | 32 kWh |
| Display number of colours * | 1.07 billion colours | Power consumption (typical) * | 21 W |
| Viewable size, horizontal | 59.7 cm | Power consumption (standby) * | 0.5 W |
| Viewable size, vertical | 33.6 cm | Power consumption (off) | 0.3 W |
| Display diagonal (metric) | 68 cm | AC input voltage | 100 - 240 V |
| High Dynamic Range (HDR) supported | 4 | Power supply type Energy efficiency scale | Internal A to G |
| High Dynamic Range (HDR) technology | High Dynamic Range 10 (HDR10) | European Product Registry for Energy Labelling (EPREL) code | 458922 |
| sRGB coverage (typical) | 99% | Annual energy consumption | 29 kWh |
| Performance | | Operational conditions | |
| AMD FreeSync * AMD FreeSync type Flicker-free technology | ✓ FreeSync | Operating temperature (T-T) Operating relative humidity (H-H) | 10 - 40 °C 10 - 80% |
| Game mode | 4 | Weight & dimensions | |
| Multimedia | | Width (with stand) | 615.5 mm |
| Built-in speaker(s) * Built-in camera * | × × | Depth (with stand) Height (with stand) | 196.4 mm 551.9 mm |
| Design | | Weight (with stand) Width (without stand) | 6.7 kg 615.5 mm |
| Market positioning * | Professional | Depth (without stand) | 42.7 mm |
| Harket positioning | . i si e ssionai | Depen (menoue stand) | · E .7 (1011) |

| Design | | Weight & dimensions | |
|---|-----------------------|---|----------------------|
| Product colour * | Black | Height (without stand) | 368.2 mm |
| Front bezel colour | Black | Weight (without stand) | 4.7 kg |
| Feet colour | Black | Packaging data | |
| Ports & interfaces | | Package width | 722 mm |
| Built-in USB hub * | √ | Package depth | 432 mm |
| USB hub version | 3.2 Gen 1 (3.1 Gen 1) | Package height | 189 mm |
| USB upstream port type | USB Type-C | Package weight | 9.5 kg |
| Number of upstream ports | 1 | Packaging content | |
| USB Type-A downstream ports quantity | 2 | Stand included | 1 |
| USB Type-C downstream ports quantity | 1 | Cables included Installation CD | AC, HDMI, USB Type-C |
| USB Power Delivery | 1 | Power cable length | 1.5 m |
| USB Power Delivery up to | 90 W | | |
| HDMI * | | Sustainability | |
| HDMI ports quantity | 1 | Sustainability compliance | √ |
| HDMI version | 1.4 | Sustainability certificates | ENERGY STAR, TCO |
| DisplayPorts quantity | 1 | Other features | |
| DisplayPort out quantity | 1 | Picture-by-Picture (PbP) | 1 |
| DisplayPort out version | 1.2 | Samsung Eye Saver Mode | 1 |
| DisplayPort version | 1.2 | Daisy chain | 1 |
| Headphone out * | ✓ | Eco Saving Plus | 1 |
| Headphone outputs | 1 | Eco Light Sensor | 1 |
| AC (power) in | ✓ | Image size | ✓ |
| Service port | ✓ | Adaptive picture | 1 |
| Network | | Auto source switch | ✓ |
| Ethernet LAN | 1 | Off Timer Plus | 1 |
| Ergonomics | | Ethernet LAN (RJ-45) ports Certification | I Windows 10 |
| VESA mounting * | 4 | Recycling data | |
| Panel mounting interface | 100 x 100 mm | Total amount of recycled materials | |
| Cable management | 1 | used for making | 3% |
| Cable lock slot * | 4 | | |
| | | | |



8806092195950

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.