



BenQ ST4302S Digitaalinen litteä infotaulu 109,2 cm (43") LCD 400 cd/m² 4K Ultra HD musta Sisäänrakennettu prosessori Android 8.0 18/7

Tuotemerkki : BenQ

Tuotekoodi: 9H.F7GPT.RA2

Tuotteen nimi : ST4302S

BenQ ST4302S. Tuotteen muotoilu: Digitaalinen litteä infotaulu. Näytön halkaisija: 109,2 cm (43"), Näytön teknologia: LCD, Näytön erottelutarkkuus: 3840 x 2160 pikseliä, Näytön kirkkaus: 400 cd/m², HD-tyyppi: 4K Ultra HD. Toiminta-aika (tunteja/päiviä): 18/7. Käyttöjärjestelmä asennettu: Android 8.0. Tuotteen väri: musta



Display		Power	
Panel type	IPS	Power consumption (typical) *	110 W
LED backlighting type	Direct-LED	Power consumption (standby) *	0.5 W
Display diagonal *	109.2 cm (43")	Energy efficiency class (SDR)	G
Display technology *	LCD	Energy consumption (SDR) per 1000 hours	110 kWh
Display resolution *	3840 x 2160 pixels	AC input voltage	100 - 240 V
Display brightness *	400 cd/m ²	AC input frequency	50 - 60 Hz
HD type *	4K Ultra HD		
Touchscreen *	✗	Computer system	
Response time	8 ms	Computer system *	✓
Contrast ratio (typical)	1200:1	Built-in processor *	✓
Active display area (W x H)	941.2 x 529.4 mm	Internal memory	3 GB
Display diagonal (metric)	109 cm	Internal storage capacity	16 GB
RGB colour space	NTSC	Operating system installed	Android 8.0
Ports & interfaces		Weight & dimensions	
HDMI ports quantity *	2	Display width	973 mm
HDMI version	2.0	Display depth	63.5 mm
DVI port *	✓	Display height	561.2 mm
DVI-D ports quantity	1	Display weight	10.7 kg
VGA (D-Sub) input ports	1	Width	973 mm
USB port *	✓	Depth	63.5 mm
USB ports quantity	2	Height	561.2 mm
USB version	2.0	Weight	10.7 kg
Ethernet LAN *	✓		
Ethernet LAN (RJ-45) ports	1	Packaging data	
Ethernet LAN data rates	10,100 Mbit/s	Package width	170 mm
Wi-Fi *	✗	Package depth	1070 mm
PC Audio in	✓	Package height	680 mm
Card reader integrated	✓	Package weight	14.3 kg

Audio		Packaging content	
Built-in speaker(s) *	✓	Remote control included	✓
Number of built-in speakers	2	Cables included	HDMI
RMS rated power	10 W	Operational conditions	
Design		Operating temperature (T-T)	0 - 40 °C
Product design *	Digital signage flat panel	Operating relative humidity (H-H)	10 - 80%
Placement supported *	Indoor	Storage temperature (T-T)	-20 - 60 °C
Product colour *	Black	Storage relative humidity (H-H)	10 - 80%
VESA mounting *	✓	Logistics data	
Panel mounting interface	200 x 200 mm	Country of origin	China
Performance		Products per pallet	21 pc(s)
Purpose *	Universal	Harmonized System (HS) code	8528529100
Operating hours (hours/days)	18/7		



4718755086939

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-DEC-2024. Prints or copies of Information are only valid on the printed Publication date