



<b>Display</b>		<b>Weight &amp; dimensions</b>	
High Dynamic Range (HDR) supported	✗	Width (with stand)	537.8 mm
sRGB coverage (typical)	99%	Depth (with stand)	179.6 mm
<b>Performance</b>		Height (with stand)	496.1 mm
NVIDIA G-SYNC *	✗	Weight (with stand)	5.59 kg
AMD FreeSync *	✗	Width (without stand)	537.8 mm
<b>Multimedia</b>		Depth (without stand)	57.9 mm
Number of speakers	2	Height (without stand)	318.9 mm
RMS rated power	10 W	Weight (without stand)	3.83 kg
Built-in speaker(s) *	✓	Bezel width (side)	5.38 mm
Megapixel (approx.)	5 MP	Bezel width (top)	5.37 mm
Built-in microphone	✓	Bezel width (bottom)	1.71 cm
Built-in camera *	✓	<b>Packaging data</b>	
<b>Design</b>		Package width	719.8 mm
Market positioning *	Home	Package depth	139.6 mm
Product colour *	Black	Package height	437.9 mm
Front bezel colour	Black	Package weight	8.33 kg
Detachable stand	✓	<b>Packaging content</b>	
Feet colour	Silver	Stand included	✓
<b>Ports &amp; interfaces</b>		Cables included	AC, DisplayPort, HDMI, USB Type-A
Built-in USB hub *	✓	Quick start guide	✓
USB hub version	3.2 Gen 1 (3.1 Gen 1)	DisplayPort cable length	1.8 m
USB upstream port type	USB Type-B	HDMI cable length	1.8 m
Number of upstream ports	1	Power cable length	1.8 m
USB Type-A downstream ports quantity	4	<b>Sustainability</b>	
HDMI *	✓	Sustainability certificates	ENERGY STAR, TCO
HDMI ports quantity	1	Doesn't contain	PVC/BFR
HDMI version	1.4	<b>Carbon footprint</b>	
DisplayPorts quantity	2	Total carbon footprint (kg of CO2e)	570
DisplayPort version	1.2	Total carbon emissions, standard deviation (kg of CO2e)	117
Headphone out *	✓	Carbon emissions, manufacturing (kg of CO2e)	367
Headphone outputs	1	Carbon emissions, logistics (kg of CO2e)	74
Headphone connectivity	3.5 mm	Carbon emissions, energy usage (kg of CO2e)	125
HDCP	✓	Carbon emissions, end-of-life (kg of CO2e)	5
Charging port type	USB Type-A	Total carbon emissions, w/o use phase (kg of CO2e)	445
<b>Network</b>		PAIA version	1.3.0
Wi-Fi	✗	<b>Other features</b>	
<b>Ergonomics</b>		Heavy metals free	Hg (mercury)
VESA mounting *	✓	Compliance certificates	RoHS
Panel mounting interface	100 x 100 mm	<b>Logistics data</b>	
Cable lock slot *	✓	Harmonized System (HS) code	85285210
Height adjustment *	✓		
Height adjustment	15 cm		
Pivot	✓		
Pivot angle	-90 - 90°		
Swivelling	✓		
Swivel angle range	-45 - 45°		
Tilt adjustment	✓		



5397184567777



5704174894698

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.