ZYXEL

Zyxel MG-105 Hallitsematon 2.5G Ethernet (100/1000/2500) Terästä

Tuotemerkki : Zyxel Tuotekoodi: MG-105-ZZ0101F

Tuotteen nimi: MG-105



Zyxel MG-105. Kytkin tyyppi: Hallitsematon. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: 2.5G Ethernet (100/1000/2500), Basic kytkentä RJ-45 Ethernet-porttien määrä: 5. Täysin kaksipuolinen. MAC-osoitetaulukko: 16000 entries, Kytkentäkapasiteetti: 25 Gbit/s. Verkkostandardit: IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3bz, IEEE 802.3u, IEEE 802.3x. Seinäkiinnitteinen



Management features		Power	
Switch type * Quality of Service (QoS) support Ports & interfaces	Unmanaged ✓	Power supply included * AC input voltage AC input frequency	100 - 240 V 50 - 60 Hz
Basic switching RJ-45 Ethernet ports quantity * Basic switching RJ-45 Ethernet ports type *	3	Power consumption (max) Power over Ethernet (PoE)	9.34 W
type *	2.5G Ethernet (100/1000/2500)	Power over Ethernet (PoE) *	X
Network		Operational conditions	0. 40.00
Networking standards *	IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3bz, IEEE 802.3u, IEEE 802.3x	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H)	0 - 40 °C -40 - 70 °C 10 - 90%
10G support *	×	Storage relative humidity (H-H)	5 - 95%
Copper ethernet cabling technology	2.5GBASE-T, 100BASE-TX, 1000BASE-T	Weight & dimensions	
Full duplex	✓	Width	160 mm
Flow control support	✓	Depth	110 mm 26 mm
Auto MDI/MDI-X	✓	Height Weight	460 q
Auto-negotiation	✓	Packaging content	400 g
Data transmission		User quide	√
Switching capacity *	25 Gbit/s	3	
Forwarding rate	18.6 Mpps	Packaging data	
MAC address table *	16000 entries	Package width	215 mm
Jumbo frames support	✓	Package depth	133 mm 79 mm
Jumbo frames	12000	Package height Package weight	919.6 q
Packet buffer memory	12 MB	5 5	919.0 g
Design		Certificates	
Rack mounting *	×	Compliance certificates Certification	CE CE, EAC, FCC, BSMI

Design		Logistics data	
Product colour	Steel	Harmonized System (HS) code 85176990	
LED indicators	✓		
Wall mountable	✓		
Performance			
Fanless	✓		





4718937620203

0760559127855



760559127855

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.