



DELL PowerEdge T150 palvelin 2 TB Teline (4U) Intel Xeon E E-2314 2,8 GHz 16 GB DDR4-SDRAM 300 W

Tuotemerkki : DELL

Tuoteperhe: PowerEdge

Tuotekoodi: K4G47

Tuotteen nimi : T150

DELL PowerEdge T150. Suoritinperhe: Intel Xeon E, Prosessorin taajuus: 2,8 GHz, Prosessorimalli: E-2314. Sisäinen muisti: 16 GB, Sisäisen muistin tyyppi: DDR4-SDRAM, Muistin sijoittelu (paikat x koko): 1 x 16 GB. Kokonaistallennuskapasiteetti: 2 TB, HDD-koko: 3.5", HDD-käyttöliittymä: SATA. Ethernet LAN, Kaapelitekniikka: 10/100/1000Base-T(X). Virtalähde: 300 W. Alustatyyppi: Teline (4U)



Processor		Software	
Processor manufacturer *	Intel	Operating system installed *	✗
Processor family *	Intel Xeon E		Microsoft Windows Server with Hyper-V Red Hat Enterprise Linux SUSE Linux Enterprise Server Citrix Hypervisor Canonical Ubuntu Server LTS
Processor model *	E-2314	Compatible operating systems *	
Processor frequency *	2.8 GHz		
Processor boost frequency	4.5 GHz		
Processor cache	8 MB		
Number of processors installed	1		
Execute Disable Bit	✓		
Idle States	✓		
Memory		Processor special features	
Internal memory *	16 GB	CPU configuration (max)	1
Internal memory type *	DDR4-SDRAM	Enhanced Intel SpeedStep Technology	✓
Buffered memory type	Unregistered (unbuffered)	Intel Virtualization Technology for Directed I/O (VT-d)	✓
Memory slots	4x DIMM	Intel Trusted Execution Technology	✓
ECC	✓	Intel VT-x with Extended Page Tables (EPT)	✓
Memory clock speed	3200 MHz	Intel Software Guard Extensions (Intel SGX)	✓
Memory layout (slots x size)	1 x 16 GB	Intel 64	✓
Maximum internal memory *	64 GB	Intel Virtualization Technology (VT-x)	✓
Storage		Power	
Total storage capacity *	2 TB	Power supply *	300 W
Number of HDDs installed	1	Number of main power supplies	1
HDD capacity	2 TB		
HDD interface	SATA		
HDD speed	7200 RPM		
HDD size	3.5"		
RAID support *	✗		
Supported RAID controllers	PERC H355		
		Logistics data	
		Harmonized System (HS) code	84714100
		Carbon footprint	
		Total carbon footprint (kg of CO2e)	2230
		Total carbon emissions, standard deviation (kg of CO2e)	1010

Storage		Carbon footprint	
Optical drive type *	✘	Carbon emissions, manufacturing (kg of CO2e)	457
Graphics		Carbon emissions, logistics (kg of CO2e)	139
On-board graphics card model	Not available	Carbon emissions, energy usage (kg of CO2e)	1610
Network		Carbon emissions, end-of-life (kg of CO2e)	21
LAN controller	Broadcom 5720	Total carbon emissions, w/o use phase (kg of CO2e)	617
Ethernet LAN	✔	PAIA version	1.3.2, 2022
Cabling technology	10/100/1000Base-T(X)	Weight & dimensions	
Ethernet interface type	Gigabit Ethernet	Width	175 mm
Ports & interfaces		Depth	453.8 mm
Ethernet LAN (RJ-45) ports *	2	Height	360 mm
USB 2.0 ports quantity	5	Weight	11.7 kg
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2	Other features	
VGA (D-Sub) ports quantity	1	Data transfer rate	6 Gbit/s
Serial ports quantity	1	Bytes per sector	512n
Design			
Chassis type *	Rack (4U)		
Product colour	Black		
Performance			
Remote administration	iDRAC9 Basic 15G		



5397184677438

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-DEC-2024. Prints or copies of Information are only valid on the printed Publication date