


- 1. INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL, STATE AND LOCAL ELECTRICAL REGULATIONS.
- 2. REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND SITE PREPARATION WORK.
- 3. ALL DIMENSIONS ARE IN MILLIMETERS [INCHES].
- 44. FRONT AND REAR ACCESS REQUIRED FOR SERVICE. MINIMUM REQUIRED FRONT/REAR CLEARANCE IS 36.0 [914].
- 5. NET WEIGHT OF THE EMPTY UNIT IS 76.4 kg [168.4 lb].
- 6. LOADING CAPACITY:
  - a) STATIC LOAD: 1200kg [2645.5 lb].
- b) DYNAMIC LOAD: 600kg [1322.7 Ib].
  7. TOP AND BOTTOM CABLE ENTRY USING APPROPRIATE CUSTOMER PROVIDED SOLUTION.
- 8. COLOR: BLACK.

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE




TITLE: Easy RACK 42U 600mm W x 1000mm D w/o Side pane GENERAL ARRANGEMENT	nels	DWG NO: ER6200		REV. O
GÊNERAL ARRANGEMENT		DRAWN BY: JAYAPRAKASH	26-APR-21	FIRST
		ENGINEER: Wenjuan JIA/Xiaoying ZENG	27-APR-21	ANGLE
PROJECT: SUBMITTAL DRAWINGS SHEET 1 0	F 3	APPROVED BY: Dazhang-Ivan SHI	27-APR-21	PROJECTION



STABILIZING THE ENCLOSURE:

TO PREVENT THE ENCLOSURE FROM MOVING FROM ITS FINAL LOCATION (IF NOT JOINED WITH ANOTHER COMPONENT, USE PALLET/ANCHORING BRACKET) ATTACH THE PALLET/ANCHORING BRACKETS TO THE ENCLOSURE AS SHOWN. USE CODE COMPLIANT FASTENERS TO SECURE THE ENCLOSURE TO THE FLOOR.



(4 PLACES - 2-FRONT/2-BACK)

ENLARGED VIEW


## NOTES:


- 1. INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL, STATE AND LOCAL ELECTRICAL REGULATIONS.
- 2. REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND SITE PREPARATION WORK.
- 3. ALL DIMENSIONS ARE IN MILLIMETERS [INCHES].
- △ 4. PALLET/ANCHORING BRACKETS ARE PROVIDED WITH THE ENCLOSURE AND ARE SECURED
  TO THE ENCLOSURE AND PALLET FOR SHIPMENT. RETAIN THE PALLET BRACKETS FROM
  SHIPMENT. THESE BRACKETS ARE USED TO ANCHOR THE ENCLOSURE ONCE INSTALLED.
  PALLET/ANCHORING BRACKETS CAN BE INSTALLED EITHER INSIDE OR OUTSIDE THE
  EASY RACK WITH TWO AT FRONT AND TWO IN BACK.


THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHWEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.



IND IWO IN BACK.					
Easy RACK 42U Omm W x 1000mm D w/o Side panels TOP/BOTTOM & ANCHORING DETAILS		DWG NO: ER6200		REV. O	
		DRAWN BY:	JAYAPRAKASH	26-APR-21	FIRST
		ENGINEER: Wenju	an JIA/Xiaoying ZENG	27-APR-21	ANGLE
ROJECT: SUBMITTAL DRAWINGS	SHEET 2 OF 3	APPROVED BY:	Dazhang-Ivan SHI	27-APR-21	PROJECTION







NOTES:

1. INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL, STATE AND LOCAL ELECTRICAL REGULATIONS.

2. REFER TO PRODUCT DOCUMENTATION FOR ADDITIONAL DETAILS PRIOR TO INSTALLATION AND SITE PREPARATION WORK.

3. ALL DIMENSIONS ARE IN MILLIMETERS [INCHES].

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF SCHNEIDER ELECTRIC AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM SCHNEIDER ELECTRIC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.



TLE:  Easy RACK 42U  Omm W x 1000mm D w/o Side panels SECTION VIEWS	DWG NO: ER6200		REV. O	
	DRAWN BY: JAYAPRAKASH	26-APR-21	FIRST	
		ENGINEER: Wenjuan JIA/Xiaoying ZENG	27-APR-21	ANGLE
ROJECT: SUBMITTAL DRAWINGS	SHEET 3 OF 3	APPROVED BY: Dazhang-Ivan SHI	27-APR-21	PROJECTION