


## ASUS PRIME H410M-K R2.0 Intel H470 LGA 1200 (Socket H5) micro ATX

**Brand :** ASUS

**Product code:** 90MB1A70-M0EAY0

**Product name :** PRIME H410M-K R2.0

- Intel® LGA 1200 Socket: Ready for 10th Gen Intel® Core™ processors
  - Enhanced Power Solution: 8 power stages, alloy chokes and durable capacitors for stable power delivery
  - Comprehensive Cooling: PCH heatsink, fan headers and Fan Xpert
  - ASUS OptiMem: Careful routing of traces and vias to preserve signal integrity for improved memory stability
  - Ultrafast Connectivity: M.2 support, Intel® 1 Gb Ethernet, and USB 3.2 Gen 1
- microATX, Intel H470 chipset, Socket LGA 1200, 2xDDR4 DIMM slots, 7.1ch audio, Gigabit LAN, UEFI AMI BIOS



Processor		Rear panel I/O ports	
Processor manufacturer *	Intel	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4
Processor socket *	LGA 1200 (Socket H5)	Ethernet LAN (RJ-45) ports *	1
Compatible processor series *	Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9, Intel Pentium G	PS/2 ports quantity	1
Supported processor sockets	LGA 1200 (Socket H5)	HDMI ports quantity *	1
		HDMI version	1.4
		DVI-D ports quantity *	1
		Headphone outputs	3
		Microphone in	✓
		USB connector type	USB Type-A
Memory		Network	
Supported memory types *	DDR4-SDRAM	Ethernet LAN	✓
Number of memory slots *	2	Ethernet interface type	Gigabit Ethernet
Memory slots type	DIMM	LAN controller	Intel® I219-V
Memory channels	Dual-channel	Wake-on-LAN ready	✓
ECC compatibility	Non-ECC	Wi-Fi *	✗
Supported memory clock speeds	2133,2400,2666,2800,2933 MHz	Bluetooth	✗
Maximum internal memory *	64 GB	Features	
Unbuffered memory	✓	Motherboard chipset *	Intel H470
		Audio chip	Realtek ALC887 / Realtek ALC897
		Audio output channels *	7.1 channels
		Component for *	PC
		Motherboard form factor *	micro ATX
		Motherboard chipset family *	Intel
		Windows operating systems supported	Windows 10 x64
Storage controllers			
Supported storage drive types	HDD & SSD		
Supported storage drive interfaces *	M.2, PCI Express 3.0, SATA III		
Number of storage drives supported	5		
RAID support	✓		
RAID levels	0, 1, 5, 10		
Graphics			
Parallel processing technology support *	Not supported		
Internal I/O			
USB 2.0 connectors *	2		
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1		

<b>Internal I/O</b>		<b>Expansion slots</b>	
Number of SATA III connectors *	4	PCI Express x1 (Gen 3.x) slots	2
S/PDIF out connector	✓	PCI Express x16 (Gen 3.x) slots	1
Front panel audio connector	✓	Number of M.2 (M) slots	1
ATX Power connector (24-pin)	✓	<b>BIOS</b>	
CPU fan connector	✓	BIOS type *	UEFI AMI
Number of chassis fan connectors	1	BIOS memory size	128 Mbit
EPS power connector (8-pin)	✓	Clear CMOS jumper	✓
TPM connector	✓	<b>Logistics data</b>	
12V power connector	✓	Harmonized System (HS) code	84733020
<b>Rear panel I/O ports</b>		<b>Weight &amp; dimensions</b>	
USB 2.0 ports quantity *	2	Width	244 mm
		Depth	244 mm
		<b>Packaging content</b>	
		Cables included	SATA
		Drivers included	✓



4711081364382

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-DEC-2024. Prints or copies of Information are only valid on the printed Publication date