BenQ LU9750 data projector Standard throw projector 8500 ANSI lumens DLP WUXGA (1920x1200) Black

Brand : BenQ

Product name : LU9750

Product code: 9H.JPN77.25E

- Compatible with 9 electrical optional lenses to maximize throw ratio coverage
- Support BenQ factory white balance calibration
- Up to 70,000 hrs laser light source life under Dimming Mode
- 3000000:1 high contrast ratio

DLP, 8500 ANSI Lumen, WUXGA (1920x1200), 3000000:1, 16:10, 500 x 211 x 587.3 mm

BenQ LU9750. Projector brightness: 8500 ANSI lumens, Projection technology: DLP, Projector native resolution: WUXGA (1920x1200). Light source type: Laser, Service life of light source: 20000 h, Service life of light source (economic mode): 38000 h. Horizontal lens shift range: -5 - 5%, Vertical lens shift range: -15 - 55%, Offset: 9%. Supported video modes: 720p, 1080i, 1080p, 2160p. Serial interface type: RS-232

Projector

Screen size compatibility *	1270 - 12700 mm (50 - 500")
Projector brightness *	8500 ANSI lumens
Projection technology *	DLP
Projector native resolution *	WUXGA (1920x1200)
Contrast ratio (typical) *	3000000:1
Native aspect ratio *	16:10
Number of colours	1.07 billion colours
Horizontal scan range	15 - 135 kHz
Vertical scan range	23 - 120 Hz
Keystone correction, horizontal	-30 - 30°
Keystone correction, vertical	-30 - 30°

Light source

Light source type *	Laser
Service life of light source *	20000 h
Service life of light source (economic mode)	38000 h

Lens system

Horizontal lens shift range	-5 - 5%
Vertical lens shift range	-15 - 55%
Offset	9%
Number of optional lenses supported	9

Video

Full HD *	✔
Supported video modes	720p, 1080i, 1080p, 2160p

Ports & interfaces

HDMI version	2.0

Ports & interfaces

DVI port *	✔

Network

Smart TV *	✘
Ethernet LAN *	✔
Ethernet LAN (RJ-45) ports	1
Wi-Fi *	✘

Storage

Card reader integrated *	✘

Features

Interactive *	✘
Noise level (economic mode)	35 dB
On Screen Display (OSD)	✔
Number of OSD languages	12
Noise level *	38 dB

Design

Market positioning *	Business
Product type *	Standard throw projector
Product colour *	Black
Cable lock slot	✔

Power

Power source *	AC
Power consumption (typical) *	792 W
Power consumption (standby) *	0.5 W
Power consumption (max)	885 W
AC input voltage	100 - 240 V

Ports & interfaces

USB 2.0 Type-B ports quantity	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
Audio (L/R) in *	1
Serial interface type *	RS-232
PC in (D-Sub)	✔
VGA (D-Sub) ports quantity *	1
HDMI ports quantity *	2
3D sync port	✔

Power

AC input frequency	50 - 60 Hz

Operational conditions

Operating temperature (T-T)	0 - 40 °C

Weight & dimensions

Width	500 mm
Depth	587.3 mm
Height	211 mm
Weight *	26.4 kg

Packaging content

Remote control included *	✔
Cables included	AC
Manual	✔

Logistics data

Quantity per pack	1 pc(s)

4718755087356

Publication date: 21-DEC-2024. Prints or copies of Information are only valid on the printed Publication date