



## BenQ LU9750 dataprojektori Vakioprojektori 8500 ANSI lumenia DLP WUXGA (1920x1200) musta

**Tuotemerkki :** BenQ

**Tuotekoodi:** 9H.JPN77.25E

**Tuotteen nimi :** LU9750

BenQ LU9750. Projektorin kirkkaus: 8500 ANSI lumenia, Projektioteknologia: DLP, Projektorin oletusresoluutio: WUXGA (1920x1200). Valonlähteen tyyppi: Laser, Valonlähteen käyttöikä: 20000 h, Valonlähteen käyttöikä (säästötila): 38000 h. Linssin siirtoalue (vaakasuora): -5 - 5%, Linssin siirtoalue (pystysuora): -15 - 55%, Siirtymä: 9%. Tuetut videomoodit: 720p, 1080i, 1080p, 2160p. Sarjaliitännän tyyppi: RS-232



Projector		Ports & interfaces	
Screen size compatibility *	1270 - 12700 mm (50 - 500")	DVI port *	✓
Projector brightness *	8500 ANSI lumens	<b>Network</b>	
Projection technology *	DLP	Smart TV *	✗
Projector native resolution *	WUXGA (1920x1200)	Ethernet LAN *	✓
Contrast ratio (typical) *	3000000:1	Ethernet LAN (RJ-45) ports	1
Native aspect ratio *	16:10	Wi-Fi *	✗
Number of colours	1.07 billion colours	<b>Storage</b>	
Horizontal scan range	15 - 135 kHz	Card reader integrated *	✗
Vertical scan range	23 - 120 Hz	<b>Features</b>	
Keystone correction, horizontal	-30 - 30°	Interactive *	✗
Keystone correction, vertical	-30 - 30°	Noise level (economic mode)	35 dB
<b>Light source</b>		On Screen Display (OSD)	✓
Light source type *	Laser	Number of OSD languages	12
Service life of light source *	20000 h	Noise level *	38 dB
Service life of light source (economic mode)	38000 h	<b>Design</b>	
<b>Lens system</b>		Market positioning *	Business
Horizontal lens shift range	-5 - 5%	Product type *	Standard throw projector
Vertical lens shift range	-15 - 55%	Product colour *	Black
Offset	9%	Cable lock slot	✓
Number of optional lenses supported	9	<b>Power</b>	
<b>Video</b>		Power source *	AC
Full HD *	✓	Power consumption (typical) *	792 W
Supported video modes	720p, 1080i, 1080p, 2160p	Power consumption (standby) *	0.5 W
<b>Ports &amp; interfaces</b>		Power consumption (max)	885 W
HDMI version	2.0	AC input voltage	100 - 240 V

Ports & interfaces	
USB 2.0 Type-B ports quantity	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
Audio (L/R) in *	1
Serial interface type *	RS-232
PC in (D-Sub)	✓
VGA (D-Sub) ports quantity *	1
HDMI ports quantity *	2
3D sync port	✓

  

Power	
AC input frequency	50 - 60 Hz

  

Operational conditions	
Operating temperature (T-T)	0 - 40 °C

  

Weight & dimensions	
Width	500 mm
Depth	587.3 mm
Height	211 mm
Weight *	26.4 kg

  

Packaging content	
Remote control included *	✓
Cables included	AC
Manual	✓

  

Logistics data	
Quantity per pack	1 pc(s)



4718755087356

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 21-DEC-2024. Prints or copies of Information are only valid on the printed Publication date