ASUS TUF GAMING B660M- PLUS D4 Intel B660 LGA 1700 mikro ATX

Tuotemerkki : ASUS Tuotekoodi: 90MB1940-M0EAY0

Tuotteen nimi: TUF GAMING B660M- PLUS D4

ASUS TUF GAMING B660M- PLUS D4. Suoritinvalmistaja: Intel, Prosessorin kanta: LGA 1700, Yhteensopivat prosessorit: Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9,.... Tuetut muistityypit: DDR4-SDRAM, Sisäinen enimmäismuisti: 128 GB, Muistipaikkojen tyyppi: DIMM. Tuetut tallennusasemaliitännät: M.2, PCI Express 4.0, SATA III, Tuetut tallennusasematyypit: HDD & SSD, RAID-tasot: 0, 1, 5, 10. Ethernet-liitännän tyyppi: 2.5 Gigabit Ethernet. Komponentti (tuotteelle): PC, Emolevyn muototekijä: mikro ATX, Emolevyn piirisarjan perhe: Intel





Processor		Rear panel I/O ports	
Processor manufacturer * Processor socket *	Intel LGA 1700	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	1
	Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7,	USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	4
Compatible processor series *	Intel® Core™ i9, Intel® Pentium® Gold	USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1
Supported processor sockets	LGA 1700	Ethernet LAN (RJ-45) ports *	1
Memory		HDMI ports quantity *	1
Supported memory types DDR4-SDRAM Number of memory slots 4		HDMI version	2.1
Memory slots type DIMM Memory channels Dual-channel		DisplayPorts quantity	1
ECC compatibility Non-ECC Supported memory clock speeds MHz MHz	200,3333,3400,3466,3600,3733,3866,4000,4266,4400,4600,4800,5000,5066,5333	DisplayPort version	1.4
Maximum internal memory 128 GB Unbuffered memory		Headphone outputs	5
Storage controllers		Digital audio optical out	1
Supported storage drive types	HDD & SSD	Network	
Supported storage drive interfaces	* M.2, PCI Express 4.0, SATA III	Ethernet LAN	✓
Number of HDDs supported	4	Ethernet interface type	2.5 Gigabit Ethernet
Number of storage drives supporte	ed 6	Wi-Fi *	×
RAID support	✓		•
RAID levels	0, 1, 5, 10	Features	
Internal I/O		Motherboard chipset *	Intel B660
USB 2.0 connectors *	2	Audio output channels *	7.1 channels
USB 3.2 Gen 1 (3.1 Gen 1)	2	Component for *	PC
connectors *	2	Motherboard form factor *	micro ATX
Number of SATA III connectors *	4	Motherboard chipset family *	Intel
Front panel audio connector	✓	Power source type	ATX
Front panel connector	,	Expansion slots	
ATX Power connector (24-pin)		PCI Express x1 slots	1
	•	PCI Express x16 (Gen 3.x) slots	1
CPU fan connector	v	PCI Express x16 (Gen 5.x) slots	1

Internal I/O		Expansion slots	
Number of chassis fan connectors	3	Number of M.2 (M) slots	2
Chassis intrusion connector	✓	BIOS	
EPS power connector (8-pin)	✓	BIOS type *	UEFI AMI
Serial port headers	1	BIOS memory size	128 Mbit
Thunderbolt headers	1	Clear CMOS jumper	✓
12V power connector	•	Logistics data	
RGB LED pin header	✓	Harmonized System (HS) code	84733020
Rear panel I/O ports		Weight & dimensions	
USB 2.0 ports quantity *	2	Width Depth Height	244 mm 244 mm 68 mm
		Packaging content	
		Cables included	SATA
		Other features	
		Weight	1.35 kg

