

D-Link DCS-8635LH turvakamera IP-turvakamera Ulkona 2560 x 1440 pikseliä Seinä/Tolppa

Tuotemerkki : D-Link

Tuotekoodi: DCS-8635LH


Tuotteen nimi : DCS-8635LH

D-Link DCS-8635LH. Malli: IP-turvakamera, Tuettu sijoitus: Ulkona, Yhteysteknologia: Langaton. Kiinnitystyyppi: Seinä/Tolppa, Tuotteen väri: Valkoinen, International Protection (IP)-koodi: IP65. Objektiivin kuvakulma, vaakasuora: 105.4°, Objektiivin kuvakulma, pystysuora: 56.4°, Objektiivin kuvakulma, kulmittain: 125°. Anturin tyyppi: CMOS, Optisen sensorin koko: 25,4 / 2,7 mm (1 / 2.7"). Kiinteä polttoväli: 3,3 mm




Performance		Network	
Type *	IP security camera	Ethernet LAN *	✗
Placement supported *	Outdoor	Networking standards	IEEE 802.11ac, IEEE 802.11n
Connectivity technology *	Wireless	Wi-Fi *	✓
Day/night mode	✓	Wi-Fi standards	Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Design		Bluetooth *	✓
Mounting type *	Wall/Pole	Storage	
Product colour *	White	Built-in HDD *	✗
International Protection (IP) code	IP65	Card reader integrated	✓
Camera		Compatible memory cards	MicroSD (TransFlash)
Lens viewing angle, horizontal	105.4°	Maximum memory card size	256 GB
Lens viewing angle, vertical	56.4°	Security	
Lens viewing angle, diagonal	125°	Video motion detection	✓
Pan range	-135 - 135°	Security algorithms	SSL/TLS, WPA3
Image sensor		Management features	
Number of sensors	1	Web-based management	✓
Optical sensor size	25.4 / 2.7 mm (1 / 2.7")	Power	
Progressive scan	✓	Power source type *	AC, DC
Sensor type *	CMOS	AC input voltage	100-240 V
Lens system		AC input frequency	50 - 60 Hz
Number of lenses *	1	Power consumption (max)	7 W
Fixed focal length	3.3 mm	DC output voltage	12
Night vision		DC output current	1 A
Night vision *	✓	Operational conditions	
Night vision distance	7 m	Operating temperature (T-T)	-25 - 45 °C
LED type	IR	Storage temperature (T-T)	-20 - 70 °C
Video		Operating relative humidity (H-H)	0 - 90%
Maximum resolution *	2560 x 1440 pixels	Storage relative humidity (H-H)	0 - 90%
Total megapixels *	4 MP		
Video compression formats	H.264, H.265		

Video		Weight & dimensions	
Supported video modes	1440p	Width	71 mm
Audio		Depth	111.8 mm
Built-in speaker(s)	✓	Height	70 mm
Audio system	2-way	Weight	342 g
Built-in microphone	✓	Packaging content	
		Number of cameras *	1
		Logistics data	
		Harmonized System (HS) code	85258900



0790069461675



790069461675

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.