





BenQ IL4301 Interaktiivinen litteä paneeli 109,2 cm (43") ADS 400 cd/m² 4K Ultra HD musta Kosketusnäyttö Sisäänrakennettu prosessori Android 8.0 24/7

Tuotemerkki : BenQ

Tuotekoodi: 9H.F7EPK.RA2

Tuotteen nimi : IL4301

BenQ IL4301. Tuotteen muotoilu: Interaktiivinen litteä paneeli. Näytön halkaisija: 109,2 cm (43"), Näytön teknologia: ADS, Näytön erottelutarkkuus: 3840 x 2160 pikseliä, Näytön kirkkaus: 400 cd/m², HD-tyyppi: 4K Ultra HD, Kosketusnäyttö. Toiminta-aika (tunteja/päiviä): 24/7. Käyttöjärjestelmä asennettu: Android 8.0. Tuotteen väri: musta



Display		Performance	
LED backlighting type	Edge-LED	Ambient light sensor	✓
Display diagonal *	109.2 cm (43")	Operating hours (hours/days)	24/7
Display technology *	ADS	Writing tools	Finger
Display resolution *	3840 x 2160 pixels	HID support	✓
Display brightness *	400 cd/m ²		
HD type *	4K Ultra HD		
Touchscreen *	✓		
Touchscreen technology	Infrared		
Number of simultaneous touchpoints	40		
Multi-touch	✓		
Native aspect ratio	16:9		
Response time	8 ms		
Contrast ratio (typical)	1200:1		
Contrast ratio (dynamic)	5000:1		
Viewing angle, horizontal	178°		
Viewing angle, vertical	178°		
Active display area (W x H)	941.2 x 529.4 mm		
Panel life	30000 h		
Hardness	9H		
Haze rate	1%		
Ports & interfaces		Power	
HDMI ports quantity *	3	Power consumption (typical) *	82 W
HDMI version	2.0	Power consumption (standby) *	0.5 W
HDMI input ports quantity	2	Power consumption (max)	150 W
HDMI output ports quantity	1	AC input voltage	100 - 240 V
DVI port *	✗	AC input frequency	50 - 60 Hz
VGA (D-Sub) input ports	1	Energy efficiency scale	A to G
		Computer system	
		Computer system *	✗
		Built-in processor *	✓
		Processor manufacturer	ARM
		Processor architecture	ARM Cortex A73 + ARM Cortex A53
		Internal memory	3 GB
		On-board graphics card model	ARM Mali-G51 MP2
		Internal storage capacity	32 GB
		Operating system installed	Android 8.0
		Windows operating systems supported	✓
		Linux operating systems supported	✓
		Weight & dimensions	
		Width	1011 mm
		Depth	97.4 mm
		Height	599.2 mm

Ports & interfaces		Weight & dimensions	
DisplayPorts quantity *	1	Weight	18.8 kg
DisplayPorts in	1	Packaging data	
USB port *	✓	Package width	1120 mm
USB ports quantity	3	Package depth	180 mm
USB version	2.0	Package height	710 mm
USB connector type	USB Type-A, USB Type-B	Package weight	24 kg
Ethernet LAN *	✓	Packaging content	
Ethernet LAN (RJ-45) ports	1	Remote control included	✓
Ethernet LAN data rates	10,100 Mbit/s	Cables included	DisplayPort, HDMI, VGA
Wi-Fi *	✗	Operational conditions	
Audio (L/R) out	1	Operating temperature (T-T)	0 - 40 °C
PC Audio in	✓	Operating relative humidity (H-H)	10 - 90%
RS-232 interface	✓	Storage temperature (T-T)	-20 - 60 °C
OPS module slot	✓	Storage relative humidity (H-H)	10 - 90%
Audio		Logistics data	
Built-in speaker(s) *	✓	Quantity per pack	1 pc(s)
Number of built-in speakers	2	Features	
RMS rated power	20 W	Base colour	Black
Design		Suitable for indoor use	✓
Product design *	Interactive flat panel	Wall mountable	✓
Placement supported *	Indoor	Technical details	
Orientation	Horizontal/Vertical	OPS slot	1
Product colour *	Black	Other features	
VESA mounting *	✓	Microphone connectivity	3.5 mm
Panel mounting interface	200 x 400 mm	Graphics card family	ARM
Anti-glare screen	✓	Graphics card	Mali-G51 MP2
Performance		Headphone connectivity	3.5 mm
Purpose *	Universal	USB 2.0 ports quantity	2
Picture-in-Picture	✓	Mac compatibility	✓
On Screen Display (OSD)	✓		
Number of OSD languages	27		



4718755086625

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-DEC-2024. Prints or copies of Information are only valid on the printed Publication date