



DELL P Series P2723D LED display 68,6 cm (27") 2560 x 1440 pikseliä Quad HD LCD musta, Hopea

Tuotemerkki : DELL

Tuoteperhe: P Series

Tuotekoodi: DELL-P2723D

Tuotteen nimi : P2723D

DELL P Series P2723D. Näytön halkaisija: 68,6 cm (27"), Näytön erottelutarkkuus: 2560 x 1440 pikseliä, HD-tyyppi: Quad HD, Näytön teknologia: LCD, Vasteaika (tyypillinen): 5 ms, Vakiokuvasuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäänrakennettu USB-keskus, USB-keskuksen versio: 3.2 Gen 1 (3.1 Gen 1). VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta, Hopea




Display		Ergonomics	
Display diagonal *	68.6 cm (27")	On Screen Display (OSD)	✓
Display resolution *	2560 x 1440 pixels	Plug and Play	✓
HD type *	Quad HD	Power	
Native aspect ratio *	16:9	Energy efficiency class (SDR) *	E
Display technology *	LCD	Energy efficiency class (HDR) *	Not available
Panel type *	IPS	Energy consumption (SDR) per 1000 hours *	21 kWh
Backlight type	LED	Power consumption (typical) *	21 W
Touchscreen *	✗	Power consumption (standby) *	0.3 W
Display brightness (typical)	350 cd/m ²	Power consumption (max)	55 W
Response time *	5 ms	Power consumption (off)	0.3 W
Anti-glare screen	✓	AC input voltage	100 - 240 V
Screen shape *	Flat	AC input frequency	50 - 60 Hz
Supported video modes	480p, 576p, 720p, 1080i, 1080p, 1440p	Input current	1.5 A
Contrast ratio (typical) *	1000:1	Power supply type	Internal
Maximum refresh rate *	60 Hz	Energy efficiency scale	A to G
Viewing angle, horizontal	178°	European Product Registry for Energy Labelling (EPREL) code	1057546
Viewing angle, vertical	178°	Operational conditions	
Display number of colours *	16.7 million colours	Operating temperature (T-T)	0 - 40 °C
Response time (fast)	8 ms	Storage temperature (T-T)	-20 - 60 °C
Pixel pitch	0.2331 x 0.2331 mm	Operating relative humidity (H-H)	10 - 80%
Pixel density	109 ppi	Storage relative humidity (H-H)	5 - 90%
Horizontal scan range	29 - 113 kHz	Operating altitude	0 - 5000 m
Vertical scan range	49 - 75 Hz	Non-operating altitude	5000 - 12192 m
Viewable size, horizontal	59.7 cm	Weight & dimensions	
Viewable size, vertical	33.6 cm	Width (with stand)	611.6 mm
Viewable size diagonal	68.5 cm	Depth (with stand)	190.1 mm
Display diagonal (metric)	68.5 cm		

Display		Weight & dimensions	
High Dynamic Range (HDR) supported	✗	Height (with stand)	535.2 mm
sRGB coverage (typical)	100%	Weight (with stand)	6.38 kg
Performance		Width (without stand)	611.6 mm
NVIDIA G-SYNC *	✗	Depth (without stand)	52.2 mm
AMD FreeSync *	✗	Height (without stand)	360.8 mm
Low Blue Light technology	✓	Weight (without stand)	4.54 kg
Multimedia		Bezel width (side)	7.43 mm
Built-in speaker(s) *	✗	Bezel width (top)	7.37 mm
Built-in camera *	✗	Bezel width (bottom)	1.78 cm
Design		Packaging data	
Market positioning *	Home	Package weight	9.2 kg
Product colour *	Black, Silver	Packaging content	
Front bezel colour	Black	Stand included	✓
Detachable stand	✓	Cables included	AC, DisplayPort, USB Type-A to USB Type-B
Feet colour	Silver	Quick start guide	✓
Ports & interfaces		Sustainability	
Built-in USB hub *	✓	Sustainability certificates	ENERGY STAR, TCO
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Doesn't contain	PVC/BFR
USB upstream port type	USB Type-B	Carbon footprint	
Number of upstream ports	1	Total carbon footprint (kg of CO2e)	586
USB Type-A downstream ports quantity	4	Total carbon emissions, standard deviation (kg of CO2e)	137
HDMI *	✓	Carbon emissions, manufacturing (kg of CO2e)	308
HDMI ports quantity	1	Carbon emissions, logistics (kg of CO2e)	81
HDMI version	1.4	Carbon emissions, energy usage (kg of CO2e)	192
DisplayPorts quantity	1	Carbon emissions, end-of-life (kg of CO2e)	5
DisplayPort version	1.2	Total carbon emissions, w/o use phase (kg of CO2e)	394
Headphone out *	✗	PAIA version	1.3.0
HDCP	✓	Other features	
Network		Heavy metals free	Hg (mercury)
Wi-Fi	✗	Compliance certificates	RoHS
Ergonomics		Logistics data	
VESA mounting *	✓	Harmonized System (HS) code	85285210
Panel mounting interface	100 x 100 mm		
Cable lock slot *	✓		
Height adjustment *	✓		
Adjustable height (max)	15 cm		
Pivot	✓		
Pivot angle	90 - 90°		
Swivelling	✓		
Swivel angle range	-45 - 45°		
Tilt adjustment	✓		
Tilt angle range	-5 - 21°		



5397184656785



0884116417903



884116417903



5704174846840

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.