

Display		Weight & dimensions	
High Dynamic Range (HDR) supported	✗	Width (with stand)	537.8 mm
sRGB coverage (typical)	99%	Depth (with stand)	179.6 mm
Performance		Height (with stand)	496.1 mm
NVIDIA G-SYNC *	✗	Weight (with stand)	5.55 kg
AMD FreeSync *	✗	Width (without stand)	537.8 mm
Low Blue Light technology	✓	Depth (without stand)	52.1 mm
Multimedia		Height (without stand)	318.5 mm
Built-in speaker(s) *	✗	Weight (without stand)	3.92 kg
Built-in camera *	✗	Bezel width (side)	5.48 mm
Design		Bezel width (top)	5.42 mm
Market positioning *	Business	Bezel width (bottom)	1.67 cm
Product colour *	Black	Packaging data	
Front bezel colour	Black	Package weight	7.97 kg
Detachable stand	✓	Packaging content	
Feet colour	Silver	Stand included	✓
Ports & interfaces		Cables included	AC, DisplayPort, USB Type-A to USB Type-C, USB Type-C to USB Type-C
Built-in USB hub *	✓	Quick start guide	✓
USB upstream port type	USB Type-C	Sustainability	
Number of USB Type-C upstream ports quantity	1	Sustainability certificates	ENERGY STAR, TCO
USB Type-A downstream ports quantity	4	Doesn't contain	PVC/BFR
USB Type-C DisplayPort Alternate Mode	✓	Carbon footprint	
USB Power Delivery up to	90 W	Total carbon footprint (kg of CO2e)	587
HDMI *	✓	Total carbon emissions, standard deviation (kg of CO2e)	140
HDMI ports quantity	1	Carbon emissions, manufacturing (kg of CO2e)	322
HDMI version	1.4	Carbon emissions, logistics (kg of CO2e)	70
DisplayPorts quantity	2	Carbon emissions, energy usage (kg of CO2e)	191
DisplayPort version	1.4	Carbon emissions, end-of-life (kg of CO2e)	4
Headphone out *	✗	Total carbon emissions, w/o use phase (kg of CO2e)	396
HDCP	✓	PAIA version	1.3.0
Charging port type	USB Type-C	Other features	
AC (power) in	✓	Heavy metals free	Hg (mercury)
Network		Compliance certificates	RoHS
Wi-Fi	✗	Ethernet LAN (RJ-45) ports	1
Ergonomics		Logistics data	
VESA mounting *	✓	Harmonized System (HS) code	85285210
Panel mounting interface	100 x 100 mm		
Cable lock slot *	✓		
Height adjustment *	✓		
Height adjustment	15 cm		
Pivot	✓		
Pivot angle	90 - 90°		
Swivelling	✓		
Swivel angle range	-45 - 45°		



5397184567975



5704174839552



5704174839576



5704174839545

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.