ASUS ZenBeam Latte L1 data projector Standard throw projector LED 1080p (1920x1080) Grey

Brand : ASUS Product code: 90LJ00E5-B00070

Product name: ZenBeam Latte L1

- Up to 300 LED lumens output and 720p native resolution
- Short-throw lens projects a 40" image from a distance of 1 meter and up to a 120" image at 3.2 meters
- Connectivity features include wireless mirroring for mobile devices, HDMI@, USB Type-A and earphone output jack
- Built-in 6000 mAh battery provides 3 hours of video projection or 12 hours of audio playback
- 10 W Bluetooth ${}^{\circledR}$ stereo speaker with sound by Harman Kardon, and three audio modes
- Unique coffee-mug-shaped design with a fabric aesthetic

ASUS ZenBeam Latte L1 Portable LED Projector – 300 Lumens, 720p, Sound by Harman Kardon, 10 W Bluetooth® Speaker, 3-hour Video Playback, Wireless Projection, Built-in Battery, USB Type-A, HDMI ASUS ZenBeam Latte L1. Projection technology: LED, Projector native resolution: 1080p (1920x1080), Contrast ratio (typical): 400:1. Light source type: LED. Focus: Manual, Zoom type: Fixed, Throw ratio: 1.2:1. Noise level (economic mode): 28 dB, Noise level (standby): 30 dB. RMS rated power: 10 W





Projector		Features	
Projector brightness Screen size compatibility * Projection distance Projection technology * Projector native resolution * Contrast ratio (typical) *	300 LED lumens 762 - 3048 mm (30 - 120") 0.8 - 3.2 m LED 1080p (1920x1080) 400:1	Interactive * Noise level (economic mode) Noise level (standby)	28 dB 30 dB
		Multimedia	
		Built-in speaker(s) *	✓
Number of colours	16.78 million colours	RMS rated power	10 W
Light source		Design	
Light source type *	LED	Product type *	Standard throw projector
Lens system		Product colour * Placement	Grey Ceiling
Focus *	Manual	Display	
Zoom capability Zoom type	✓ Fixed	Built-in display *	X
Throw ratio	1.2:1	Power	
Video		Power source *	AC
Full HD *	✓	Power consumption (standby) *	0.5 W
3D *	x	Power consumption (max) Battery life (max)	36 W 3 h
Ports & interfaces		-	3
USB 2.0 ports quantity	1	Operational conditions	0.4000
HDMI ports quantity *	1	Operating temperature (T-T) Operating relative humidity (H-H)	0 - 40 °C 20 - 90%
Network		Weight & dimensions	
Smart TV *	×	Weight *	585 g
Ethernet LAN *	✓	Package weight	1.3 kg
Wi-Fi *	✓	Packaging content	
Bluetooth	✓	Remote control included *	✓

Storage Logistics data

Card reader integrated * X Harmonized System (HS) code 85286200



4718017930307

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.