

## ASUS ZenWiFi AX Hybrid (XP4) (1-PK) Kaksitaajuus (2,4 GHz/5 GHz) Wi-Fi 6 (802.11ax) Valkoinen 2 Sisäinen

**Tuotemerkki :** ASUS

**Tuotekoodi:** 90IG05T0-BM9100


**Tuotteen nimi :** ZenWiFi AX Hybrid (XP4) (1-PK)

ASUS ZenWiFi AX Hybrid (XP4) (1-PK). Tuotteen väri: Valkoinen, Antennityyppi: Sisäinen, LED-merkivalot: Teho, Tila. Wi-Fi-taajuus: Kaksitaajuus (2,4 GHz/5 GHz), Wi-Fi-standardi: Wi-Fi 6 (802.11ax), Wi-Fi-standardit: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax). Prosessorin taajuus: 1,2 GHz, Sisäinen muisti: 512 MB, Flash-muisti: 256 MB. AC-syöttöjännite: 110 - 240 V, AC-syöttötaajuus: 50 - 60 Hz. Tuotteen leveys: 148 mm, Tuotteen syvyys: 71 mm, Tuotteen korkeus: 208 mm



| Design                                |  | Features                           |              |
|---------------------------------------|--|------------------------------------|--------------|
| Product colour *                      | White  | Quality of Service (QoS) support   | ✓            |
| LED indicators                        | Power, Status  | Port forwarding                    | ✓            |
| Antenna type *                        | Internal   | BeamForming                        | ✓            |
| Antennas quantity                     | 4  | DHCP server                        | ✓            |
| Reset button                          | ✓  | Mobile operating systems supported | Android, iOS |
| Wireless LAN features                 |  | Parental control                   | ✓            |
| Wi-Fi band *                          | Dual-band (2.4 GHz / 5 GHz)  | SSID Broadcast                     | ✓            |
| Top Wi-Fi standard *                  | Wi-Fi 6 (802.11ax)   | MU-MIMO technology                 | ✓            |
| Wi-Fi standards                       | 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)                   | Ports & interfaces                 |              |
| WLAN data transfer rate (first band)  | 574 Mbit/s   | Ethernet LAN (RJ-45) ports *       | 2            |
| WLAN data transfer rate (second band) | 1201 Mbit/s  | Ethernet WAN                       | ✓            |
| Networking standards                  | IEEE 802.11a, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n   | Power                              |              |
| Security algorithms                   | SSH  | AC input voltage                   | 110 - 240 V  |
| Static IP                             | ✓  | AC input frequency                 | 50 - 60 Hz   |
| IGMP snooping                         | ✓  | Weight & dimensions                |              |
| Dynamic DNS (DDNS)                    | ✓  | Width                              | 148 mm       |
| Guest access                          | ✓  | Depth                              | 71 mm        |
| VPN support                           | VPN Client L2PT VPN Client OVPN<br>VPN Client PPTP VPN Server IPsec<br>VPN Server OVPN VPN Server PPTP | Height                             | 208 mm       |
|                                       |  | Weight                             | 670 g        |
|                                       |  | Packaging content                  |              |
|                                       |  | Number of products included        | 1 pc(s)      |

| Features            |         | Packaging content           |          |
|---------------------|---------|-----------------------------|----------|
| Built-in processor  | ✓       | Ethernet cable              | ✓        |
| Processor cores     | 4       | <b>Packaging data</b>       |          |
| Processor frequency | 1.2 GHz | Package width               | 267 mm   |
| Internal memory     | 512 MB  | Package depth               | 90 mm    |
| Flash memory        | 256 MB  | Package height              | 259 mm   |
|                     |         | Package weight              | 1.43 kg  |
|                     |         | <b>Logistics data</b>       |          |
|                     |         | Harmonized System (HS) code | 85171800 |



4718017733557

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 30-MAR-2025. Prints or copies of Information are only valid on the printed Publication date