

Philips 75BFL2214/12 tv 190,5 cm (75") 4K Ultra HD Älytelevisio Wi-Fi Antrasiitti, Harmaa 350 cd/m²

Tuotemerkki : Philips

Tuotekoodi: 75BFL2214/12

Tuotteen nimi : 75BFL2214/12

Philips 75BFL2214/12. Näytön halkaisija: 190,5 cm (75"), Näytön erottelutarkkuus: 3840 x 2160 pikseliä, HD-tyyppi: 4K Ultra HD, Näytön teknologia: LED, Näytön muoto: Litteä. Älytelevisio. Näytön kirkkaus: 350 cd/m², Kontrastisuhte (tyypillinen): 1200:1. Digitaalisyysjärjestelmä: DVB, DVB-C, DVB-T, DVB-T2. Wi-Fi, Ethernet LAN. Tuotteen väri: Antrasiitti, Harmaa

Display		Performance	
Display diagonal *	190.5 cm (75")	Audio formats supported	AAC, MP3, WAV, WMA
HD type *	4K Ultra HD	Image formats supported	BMP, GIF, JPG, PNG
Display technology *	LED	Video compression formats	MPEG1, MPEG2, MPEG4
Screen shape *	Flat	Subtitle formats supported	SMI, SRT, TXT
Display brightness *	350 cd/m ²	Ports & interfaces	
Contrast ratio (typical) *	1200:1	HDMI version	2.0
Display resolution *	3840 x 2160 pixels	HDCP	✓
Display diagonal (metric)	189 cm	Ethernet LAN (RJ-45) ports	1
TV tuner		USB 2.0 ports quantity *	1
Tuner type *	Analog & digital	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	1
Analog signal format system *	PAL	Common interface Plus (CI+) *	✓
Digital signal format system *	DVB, DVB-C, DVB-T, DVB-T2	Common interface Plus (CI+) version	1.3.2
Smart TV		HDMI ports quantity *	3
Smart TV *	✓	Management features	
Internet TV *	✓	Works with the Google Assistant	✓
Operating system installed *	Android TV	Power	
Operating system version	9 (Pie)	Power consumption (typical) *	105 W
Video apps	YouTube	Power consumption (standby) *	0.3 W
Music apps	YouTube Music	Energy efficiency class (SDR) *	E
Audio		Energy consumption (SDR) per 1000 hours *	105 kWh
Number of speakers *	2	AC input voltage	220/240 V
RMS rated power *	20 W	AC input frequency	50 - 60 Hz
Audio output channels	2.0 channels	Energy efficiency scale	A to G
Audio decoders	Dolby Atmos	Operational conditions	
Network		Operating temperature (T-T)	0 - 40 °C
Wi-Fi *	✓	Weight & dimensions	
Wi-Fi standards	Wi-Fi 5 (802.11ac)	Width (without stand)	1670 mm
Ethernet LAN *	✓	Depth (without stand)	68 mm
Design		Height (without stand)	960 mm
Product colour *	Anthracite, Grey	Weight (without stand)	32.3 kg
VESA mounting *	✓	Performance	
Panel mounting interface	300 x 300,600 x 400 mm	Video formats supported	AVI, HEVC, MKV, VP9, WMV9



8718863031278

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 23-DEC-2024. Prints or copies of Information are only valid on the printed Publication date