Philips 75BDL4511D/00 infonäyttö Digitaalinen A-taulu 190,5 cm (75") 500 cd/m² 4K Ultra HD musta 24/7

Tuotemerkki : Philips

Tuotekoodi: 75BDL4511D/00

Tuotteen nimi: 75BDL4511D/00

Philips 75BDL4511D/00. Tuotteen muotoilu: Digitaalinen A-taulu. Näytön halkaisija: 190,5 cm (75"), Näytön erottelutarkkuus: 3840 x 2160 pikseliä, Näytön kirkkaus: 500 cd/m², HD-tyyppi: 4K Ultra HD. Toiminta-aika (tunteja/päiviä): 24/7. Tuotteen väri: musta





Display		Design	
Display diagonal *190.5 cm (75")Display resolution *3840 x 2160 pixelsDisplay brightness *500 cd/m²HD type *4K Ultra HDFouchscreen *XNative aspect ratio16:9	VESA mounting *✓Panel mounting interface400 x 400 mmBezel width (bottom)1.49 cmBezel width (side)1.49 cmBezel width (top)1.49 cmMounting typeWall		
Response time	8 ms	Performance	
Contrast ratio (typical) Contrast ratio (dynamic) Viewing angle, horizontal Viewing angle, vertical Display number of colours Pixel pitch Display diagonal (metric) Panel life	mic) 500000:1 ontal 178° cal 178° plours 1.07 billion colours 0.4296 x 0.4296 mm	Purpose * Commercial On Screen Display (OSD) ✓ On Screen Display (OSD) languages On Screen Display (OSD) languages English, Finnish, Frei Japanese, Norwegiar Portuguese, Russian Turkish	Danish, Dutch, nch, Italian, n, Polish,
Haze rate	25%	Operating hours (hours/days) 24/7	
Ports & interfaces HDMI ports quantity * HDMI version HDMI input ports quantity HDMI output ports quantity DVI port * DVI-I ports quantity DisplayPorts quantity * DisplayPorts out USB port *	4 2.0 3 1 ✓ 1 2 1 1 1 ✓	Power Power consumption (typical) * 185 W Power consumption (standby) * 0.5 W Energy efficiency class (SDR) G Energy efficiency class (SDR) G Energy consumption (SDR) per 1000 hours 204 kWh AC input voltage 100 - 240 V AC input frequency 50 - 60 Hz Energy efficiency scale A to G Computer system Video formats supported Video formats supported H.263, H.264, H.265 Audio formats supported AAC, HE-AAC	, MPEG
USB ports quantity USB version	2 2.0	Audio formats supportedAAC, HE-AACImage formats supportedBMP, JPEG, PNG	

Ports & interfaces		Weight & dimensions	
Ethernet LAN * Ethernet LAN (RJ-45) ports Audio (L/R) in Audio (L/R) out	<pre>/ 1 1 1 1</pre>	Display width Display depth Display height Display weight	1683.5 mm 69.5 mm 961.7 mm 35.9 kg
RS-232C	✓	Packaging content	
Remote (IR) input Remote (IR) output OPS module slot	1 1 ✓	Remote control included Batteries included Cables included	✓ ✓ AC, IR sensor, RS-232
Audio		Operational conditions	
Built-in speaker(s) * Number of built-in speakers RMS rated power	2 20 W	Operating temperature (T-T) Operating relative humidity (H-H) Storage temperature (T-T)	0 - 40 °C 20 - 80% -20 - 60 °C
Design		Storage relative humidity (H-H)	5 - 95%
Product design *	Digital A-board	Logistics data	
Placement supported *	Indoor	Harmonized System (HS) code	85285210
Orientation Product colour *	Horizontal/Vertical Black	Technical details	
		Sustainability certificates Compliance certificates	ENERGY STAR RoHS



8712581778682

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.