Canon PIXMA TS5352a Inkjet A4 4800 x 1200 DPI Wi-Fi

Brand : Canon

Product family: PIXMA

Product code: 3773C146

1.

Product name : TS5352a

Canon PIXMA TS5352a. Print technology: Inkjet, Printing: Colour printing, Maximum resolution: 4800 x 1200 DPI. Copying: Colour copying. Scanning: Colour scanning, Optical scanning resolution: 1200 x 2400 DPI. Duplex functions: Print. Maximum ISO A-series paper size: A4. Wi-Fi. Direct printing. Product colour: Pink

PrintingVeryPaper handlingDuplex printing modeAutoCustom media width55 - 21.5 9 mmPrint echnology*InkjetCustom media width210 - 297 mmPrint echnology*Colour printingPaper tray media weight64 - 105 g/m²Duplex printing-Ports & interfacesWaximum resolution*4800 x 1200 DPIDirek printing*-Print speed (ISO/IEC 24734) colou6.8 ipmUSB port-Sorderless printingUSB Type-BOrdyring*Glour copyingWiFI is connectorUSB Type-BCopying*Colour copyingWiFI is tandards802.11b, 802.11g, Wi-FI 4 (802.11n)Nain Loop function (N=)25 - 400%Security algorithmsWEP, WPA-PSK, WPA2-PSKNain 1 copy function (N=)210 cury canningPoldut colour *NankScanning *Colour scanningPoldut colour *PinkOptical scanning resolution*120 x 2400 DPIMarket positioning*Home & officeMaximum scan area216 x 297 mmBuilt-in display*Scanner type*Flabed scannerDisplay diagonal3.6 cm (1.44*)Output colour depth16 bitPower consumption (copying)19 WOutput colour depth16 bitPower consumption (copying)19 Windows 10, Wind				
Print technology*InkjetCustom media length210 - 297 mmPrint technology*Oloup printingPaper tray media weight64 - 105 g/m²Duplex printing *4800 x 1200 DPIDirect printing *·Print speed (ISO/IE 24734) moor13 jumUSB port·Print speed (ISO/IE 24734) moor6.8 jumUSB port·Print speed (ISO/IE 24734) moor6.8 jumUSB connectorUSB Type-BCopyingOclour copyingPiret pariationVRaximum number of copies90 copiesEthernet LAN *×Copying *Colour copyingKi-Fi standards802.11b, 802.11g, Wi-Fi 4 (802.11n)Ni-In copy function (N=)2Security algorithms802.11b, 802.11g, Wi-Fi 4 (802.11n)Ni-In copy function (N=)2Security algorithmsPiret Colour copyingNi-In copy function (N=)2Security algorithmsPiret Colour Colour *Ni-In copy function (N=)2Security algorithmsPiret Colour *Ni-In copy function (N=)2Security algorithmsPiret Colour *Scanner Vpe *Falted scannerDislayPiret Colour *Scanner Vpe *16 bitSecurity algorithms9Output colour depth16 bitPower consumption (off)0.3WOutput colour depth8 bitPower consumption (off)0.3WOutput colour depth16 bitSecurity regulationsSecurity regulationsParter Scanner Vpe *16 bitSecurity regulationsSecurity regulationsDip	Printing		Paper handling	
Maximum resolution*4800 x 1200 DP Direct printing*·Print speed (ISO/IEC 24734) mooi13 jpmUSB port·Borderless printing·VSB connectorUSB Type-BBorderless printing· Network ·CopyingColour copyingWi-Fi *·CopyingColour copyingWi-Fi *·Maximum number of copies99 copiesWi-Fi standards802.11b, 802.11g, Wi-Fi 4 (802.11n)Ni-n1 copy function·Security algorithmsWEP, WA-PSK, WPA2-SKNi-n1 copy function (N=)2Security algorithmsWEP, WA-PSK, WPA2-SKScanningColour scanningProduct colour *PinkOptical scanning resolution *1200 x 2400 DPIMarket positioning *Home & officeMaximum scan area216 x 297 mmBuilt-in display *·Scanner UyeeFlatbed scannerDisplayOLEDScan technologyCISDisplay diagonal3.66 cm (1.4*)Uptu clour depth8 bitPower consumption (orpying)19 WOutput greyscale depth16 bitPower consumption (off)0.3 WTeaturesWindows operating systemsWindows 7. Windows 7.	Print technology *	Inkjet	Custom media length	210 - 297 mm
Print speed (ISO/IEC 24734) nono Print speed (ISO/IEC 24734) color Print speed (ISO/IEC 24734) color 2400% Print speed (ISO/IEC 24734) color Print speed (ISO/IEC 247344) color Print speed (ISO/IEC 24744) color Print speed (ISO/IEC 24744) color Print speed (ISO/IEC 24744) color Print spee	Maximum resolution *4Print speed (ISO/IEC 24734) mono1Print speed (ISO/IEC 24734) colour6	4800 x 1200 DPI 13 ipm 6.8 ipm	Ports & interfaces	
CopyingColour copyingWi-Fi *✓Copying *Colour copyingWi-Fi *✓Copying *Secure colour copyingEthernet LAN *×Maximum number of copies95 copiesEthernet LAN *×Copier resize25 - 400%Wi-Fi standards802.11b, 802.11g, Wi-Fi 4 (802.11n)Ni-in 1 copy function (N=)2Mobile printing technologiesApple AliPrint, Google Cloud Print, PIXMA Cloud LinkScanningColour scanningProduct colour *PinkOptical scanning resolution *1200 x 2400 DPIMarket positoning *Home & officeMaximum scan area216 x 297 mmBullt-in display *✓Scanner type *Flatbed scannerDisplayOLEDScant echnologyCI5Display diagonal3.66 cm (1.44*)Output colour depth16 bitPower consumption (copying)19 WOutput colour depth8 bitPower consumption (foff)0.3 WOutput greyscale depth8 bitPower consumption (foff)0.3 WFaxing *XXXXFaxing *XYindows 7, Windows 7, Windows 8, 10.13 Cistera, Mac OS X 10.12 Sierra, Mac OS X 10.13 Cistalina, Mac OS X 10.15 Cistalina, Mac OS X 10.5 Cistal			USB port	1
Copying *Colour copyingWi-Fi *Maximum number of copies99 copiesEthernet LAN *×Copier resize25 - 400%Wi-Fi standards802.11b, 802.11g, Wi-Fi 4 (802.11g)Ni-n Lopy functionSecurity algorithmsWEP, WPA-PSK, WPA2-PSKNi-n Lopy function (N=)2Mobile printing technologiesApple AirPrint, Google Cloud Print, PIXMA Cloud LinkScanning *Colour scanningProduct colour *PinkOptical scanning resolution *1200 x 2400 DPIMarket positioning *Home & officeMaximum scan area216 x 297 mmBuilt-in display *Scanner type *Flatbed scannerDisplay diagonal3.66 cm (1.44")Output colour depth16 bitPower100 - 240 VInput colour depth16 bitPower consumption (copying)19 WOutput colour depth8 bitPower consumption (off)0.3 WFaxXSystem requirementsSo - 60 HzFaxing *xXSystem requirementsDupter functions *PrintWindows 7, Windows 7, WindowsDupta functions *11SupportedMaximum ISO A-series paper size *A4A4Paper handlingWard Os X 10.12 Serra, Mac OS X 10.15 Catalina, Mac OS X 10.5 Logand, Mac OS X 10.5 Secrita, Mac OS X 10.5	Copying		Network	
Colour scanningDesignOptical scanning resolution *1200 x 2400 DPIProduct colour *PinkMaximum scan area216 x 297 mmMarket positioning *Home & officeScanner type *Flatbed scannerBuilt-in display *✓Scan technologyCISDisplay diagonal3.66 cm (1.44")Output colour depth16 bitPower15 bitOutput colour depth16 bitPower19 WOutput greyscale depth16 bitPower consumption (copying)19 WOutput greyscale depth8 bitPower consumption (off)0.3 WFaxing *XAC input voltage100 - 240 VFaxing *XSystem requirementsPuplex functions *PrintSuitonput frequency50 - 60 HzInput & output capacity100 sheetsSuitons supportedMac OS X 10.12 Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15 Leopard, Mac OS X 10.5 Leopard, Mac OS X 10.5 Leopard, Mac OS X 10.6 Sinow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.4 Miger, Mac OS X 10.7 Lion, Mac OS X 10.5 Big SurPaper targ media types *Photo paper, Plain paperMac operating systems supportedSino Sinow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.5 Big SurSO B-series sizes (8089)B5B5B5B5B5	Copying * Maximum number of copies Copier resize N-in-1 copy function	99 copies 25 - 400%	Ethernet LAN * Wi-Fi standards Security algorithms	× 802.11b, 802.11g, Wi-Fi 4 (802.11n) WEP, WPA-PSK, WPA2-PSK Apple AirPrint, Google Cloud Print,
Scanning *Colour scanning Product colour *PinkOptical scanning resolution *120x 2400 DPIMarket positioning *Home & officeMaximum scan area216 x 297 mmBuilt-in display *Image & officeScanner type *Flabbed scannerDisplayOLEDScan technologyCISDisplay diagonal3.66 cm (1.44")Output colour depth6 bitPowerOutput colour depth8 bitPower consumption (copying)19 WOutput greyscale depth16 bitPower consumption (copying)19 WOutput greyscale depth8 bitPower consumption (copying)0.240 VFaxXAC input voltage100 - 240 VFaxing *XXSole metricPuplex functions *PrintWindows operating systems supportedWindows 10, Windows 7, Windows 8.1Input & output capacity10Sole series izes (AUAS) *Nac opstraing systems supportedPaper handlingMac opstraing systems supportedMac ops X 10.12 Sierra, Mac OS X 10.3 Panther, Mac OS X 10.4 Mojave, Mac OS X 10.5 Leopard, Mac OS X 10.6 Sinow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.9 Maxericks, Mac OS X 11.0 Mac OS X 10.0 Mac OS	Scanning		Design	
Output depth Output greyscale depthB bitPowerInput greyscale depth16 bitPower consumption (copying)19 WOutput greyscale depth8 bitPower consumption (off)0.3 WFaxXAC input voltage100 - 240 VFaxing*XCoiput frequency50 - 60 HzFeaturesYestem requirementsSystem requirementsDuplex functions*PrintWindows operating systems suportedWindows 10, Windows 7, Windows 8.1Input & output capacity1Nac OS X 10.12 Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15 Catalina, 	Optical scanning resolution *1Maximum scan area2Scanner type *FScan technologyC	1200 x 2400 DPI 216 x 297 mm Flatbed scanner CIS	Product colour * Market positioning * Built-in display * Display	Home & office ✓ OLED
Output greyscale depth8 bitPower consumption (off)0.3 WFaxXAC input voltage100 - 240 VFaxing *XAC input frequency50 - 60 HzFeaturesVindows operating systemsWindows 10, Windows 7, WindowsDuplex functions *PrintWindows operating systemsWindows 10, Windows 7, WindowsInput & output capacity1Mac OS X 10.12 Sierra, Mac OS X 10.14Total number of input trays *1Mac operating systems supportedMac OS X 10.15 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3Panther, Mac OS X 10.4 Tiger, Mac OS X 10.2 Jaguar, Mac OS X 10.3Paper handlingMaximum ISO A-series paper size *A4Photo paper, Plain paperMac operating systems supportedPanther, Mac OS X 10.4 Tiger, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 10.19 Mavericks, Mac OS X 11.0 Big SurISO A-series sizes (B0B9)B5B5B5B5B5			Power	
Faxing *XAC input frequency50 - 60 HzFeaturesSystem requirementsSystem requirementsDuplex functions *PrintVindows operating systems suportedWindows 10, Windows 7, Windows 8.1Input & output capacity1Mac OS X 10.12 Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15 Catalina, 			Power consumption (off)	0.3 W
Faxing *XFeaturesSystem requirementsDuplex functions *PrintInput & output capacityWindows operating systems supportedWindows 10, Windows 7, Windows 8.1Total number of input trays *1Total input capacity *100 sheetsPaper handlingMac operating systems supportedMaximum ISO A-series paper size *A4Paper tray media types *Photo paper, Plain paperISO A-series sizes (A0A9) *A4, A5ISO B-series sizes (B0B9)B5	Fax			
FeaturesWindows operating systemsWindows 10, Windows 7, WindowsDuplex functions *PrintWindows operating systems8.1Input & output capacityIMac OS X 10.12 Sierra, Mac OS XTotal number of input trays *1100 sheetsMac OS X 10.15 Catalina, Mac OS X 10.15 Catalina, Mac OS XPaper handlingMac operating systems supportedPanther, Mac OS X 10.13Maximum ISO A-series paper size *A4A4Paper tray media types *Photo paper, Plain paperMac operating systems supportedPanther, Mac OS X 10.4 Migave, Mac OS X 10.7 Lion, Mac OS X 10.5 Leopard, Mac OS X 10.7 Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0ISO B-series sizes (B0B9)B5B5B5	Faxing *	×		50 - 00 112
Duplex functions *Printsupported8.1Input & output capacityIMac OS X 10.12 Sierra, Mac OS X 10.14Total number of input trays *1No sheetsMac OS X 10.15 Catalina, Mac OS X 10.15 Lagguar, Mac OS X 10.3Paper handlingMac operating systems supportedMac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big SurSO A-series sizes (B0B9)B5B5B5	Features			Windows 10 Windows 7 Windows
Input & output capacityTotal number of input trays *1Total input capacity *100 sheetsPaper handlingMac operating systems supported10.13 High Sierra, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3Maximum ISO A-series paper size *A4Mac operating systems supportedPhoto paper, Plain paperISO A-series sizes (A0A9) *A4, A5A4ISO B-series sizes (B0B9)B5B5	Duplex functions *	Print		
Total number of input trays *1Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3Paper handlingMac operating systems supportedMac OS X 10.15.3 Catalina, Mac OS X 10.3Maximum ISO A-series paper size *A4Mac operating systems supportedPhoto paper, Plain paperISO A-series sizes (A0A9) *A4, A5Mac OS X 10.3Panetre, Mac OS X 10.7 Lion, Mac OS X 10.4 Tiger, Mac OS X 10.9ISO B-series sizes (B0B9)B5B5B5B5	Input & output capacity			
Paper handlingMac operating systems supportedPanther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 10.9 Big SurPaper tray media types *Photo paper, Plain paperPanther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur			Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS	
Maximum Iso A-series paper size*A4Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 10.9 Mavericks, Mac OS X 10.9 Big SurPaper tray media types*Photo paper, Plain paperMac OS X 10.8 Mountain Lion, Mac 	Paper handling		Mac operating systems supported Panther, Mac OS X 10.4 Tiger, Mac	
	Paper tray media types * ISO A-series sizes (A0A9) *	Photo paper, Plain paper A4, A5	Snow Leopard, Mac OS X 10.7 Lion Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.	

Mobile operating systems supported Android, Windows 10 Mobile, iOS

Paper handling

Non-ISO print media sizes Photo paper sizes Borderless printing media sizes Letter 10x15,13x18,13x13,20x25 10x15, 13x18, 13x13, 20x25, A4, Letter

Operational conditions

Operating relative humidity (H-H)	10 - 80%			
Storage temperature (T-T)	15 - 30 °C			
Weight & dimensions				
Width	403 mm			
Depth	315 mm			
Height	148 mm			
Weight	6.3 kg			
Packaging content				
Cables included	AC			
Logistics data				
Harmonized System (HS) code	84433100			

Publication date: 23-DEC-2024. Prints or copies of Information are only valid on the printed Publication date



4549292197945

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.