

ZYXEL

Zyxel DX3301-T0 wireless router Gigabit Ethernet Dual-band (2.4 GHz / 5 GHz) White



Brand : Zyxel

Product code: DX3301-T0-EU01V1F

Product name : DX3301-T0

Dual-Band Wireless AX1800 VDSL2 Gigabit IAD, USB, 2 x POTS FXS

[Zyxel DX3301-T0 wireless router Gigabit Ethernet Dual-band \(2.4 GHz / 5 GHz\) White:](#)

The Zyxel DX3301-T0/DX3300-T0/EX3301-T0/EX3300-T0 Series provides high-speed internet access with QoS support to meet the worldwide market demand for triple-play services. With the built-in 2x2 802.11ax WLAN function and Zyxel MPro Mesh TM Solutions, the Series provides seamless WiFi experience and superior, feature-rich WiFi connectivity for service providers to deliver high-performance internet access services.

WiFi 6 technology for superior lag-free performance

Supporting the latest WiFi 6 (11ax) standard, the Series offers speeds of up to 1200 Mbps* with 2x2 802.11ax and 574 Mbps* with 2x2 802.11ax. The uplink MU-MIMO, Orthogonal Frequency Division Multiple Access (OFDMA) and beamforming technologies empower the Series to deliver high speed internet for multi-streaming data access and optimal WiFi experience without dead zones.

WAN connection		Management features	
Ethernet WAN *	✓	Intelligent Mesh technology	✓
DSL WAN *	✓	MU-MIMO technology	✓
SIM card slot *	✗	MIMO	✓
3G/4G USB modem compatibility *	✗	Security	
Wireless LAN features		Firewall	✓
Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)	MAC address filtering	✓
Top Wi-Fi standard *	Wi-Fi 6 (802.11ax)	Network address translation (NAT)	✓
Wi-Fi standards	Wi-Fi 6 (802.11ax)	Protocols	
Network		DHCP client	✓
Ethernet LAN *	✓	DHCP server	✓
Ethernet LAN interface type *	Gigabit Ethernet	Universal Plug and Play (UPnP)	✓
Ethernet LAN data rates	1000 Mbit/s	Voice codecs	G.711a, G.722, G.726, G.729
Networking standards	IEEE 802.1Q	Design	
Auto MDI/MDI-X	✓	Product colour	White
Port forwarding	✓	Indication light	✓
Automatic channel selection	✓	LED indicators	LAN, Power, WAN, WLAN, WPS
Dynamic DNS (DDNS)	✓	On/off switch	✓
Mobile network		Product type *	Tabletop router
3G	✗	Antenna	
4G	✗	Antenna design *	Internal
5G	✗	Power	
DSL features		Power source type *	DC
ADSL	✓	Operational conditions	
ADSL2+	✓	Operating temperature (T-T)	0 - 40 °C
VDSL	✓	Storage temperature (T-T)	-30 - 70 °C
VDSL2	✓	Operating relative humidity (H-H)	10 - 90%
Ports & interfaces		Storage relative humidity (H-H)	10 - 95%
Ethernet LAN (RJ-45) ports *	4	Weight & dimensions	
USB port *	✓	Width	220 mm
USB 2.0 ports quantity	1	Depth	35 mm
DC-in jack	✓	Height	153 mm

Management features

Web-based management	✓
Wi-Fi Multimedia (WMM)/(WME)	✓
Quality of Service (QoS) support	✓
Reset button	✓

Weight & dimensions

Weight	387 g
--------	-------

Logistics data

Harmonized System (HS) code	85176990
-----------------------------	----------



4718937614950

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-DEC-2024. Prints or copies of Information are only valid on the printed Publication date