Samsung QE65T Digitaalinen litteä infotaulu 165,1 cm (65") LCD 300 cd/m^2 4K Ultra HD musta Tizen 4.0

Tuotemerkki : Samsung Tuoteperhe: QET Tuotekoodi: LH65QETELGCXEN

Tuotteen nimi: QE65T

Samsung QE65T. Tuotteen muotoilu: Digitaalinen litteä infotaulu. Näytön halkaisija: 165,1 cm (65"), Näytön teknologia: LCD, Näytön erottelutarkkuus: 3840 x 2160 pikseliä, Näytön kirkkaus: 300 cd/m², HD-tyyppi: 4K Ultra HD. Käyttöjärjestelmä asennettu: Tizen 4.0. Tuotteen väri: musta





Display		Design	
Display diagonal *	165.1 cm (65")	Bezel colour	Black
Display technology *	LCD	Performance	
Display resolution * 3840 x 2160 pixels Display brightness * 300 cd/m² HD type * 4K Ultra HD Touchscreen * ×	300 cd/m² 4K Ultra HD	Purpose * HDCP HDCP version	Commercial ✓ 2.2
Response time	8 ms	Power	
Contrast ratio (typical) Dynamic contrast ratio marketing name Viewing angle, horizontal Viewing angle, vertical Pixel pitch Display diagonal (metric) Horizontal scan range Vertical scan range Haze rate Pixel frequency (max)	1200:1 Mega DCR 89° 89° 0.372 x 0.372 mm 163 cm 15 - 135 kHz 24 - 75 Hz 2% 594 MHz	Power consumption (typical) * Power consumption (sleep) Energy efficiency class (SDR) Energy consumption (SDR) per 1000 hours AC input voltage AC input frequency Energy efficiency scale Computer system Operating system installed Weight & dimensions	204 W 0.5 W G 145 kWh 100 - 240 V 50/60 Hz A to G
Colour gamut	72%	Display width	1449.4 mm
Ports & interfaces HDMI ports quantity * HDMI version HDMI input ports quantity	2 2.0 2	Display depth Display height Display weight	59.9 mm 830.3 mm 21.2 kg
USB port *	∠ ✓	Packaging data	
USB ports quantity Ethernet LAN * Wi-Fi * Audio (L/R) out	1 x 1	Package width Package depth Package height Package volume	1606 mm 184 mm 963 mm 29400 cm ³
RS-232 interface	<u>·</u>	Operational conditions	
Design	Digital signage flat panel	Operating temperature (T-T) Operating relative humidity (H-H)	0 - 40 °C 10 - 80%
Placement supported *	Indoor	Certificates	
Product colour * Screen shape	Black Flat	Certification	Class B 60950-1

Design		Other features	Other features	
VESA mounting *	✓	Flash memory	8000 MB	
Panel mounting interface	400 x 300 mm	Optional features	WMN4277SE	



8806090505201

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.