

Cellularline Power Bank ESSENCE 20000

Brand : Cellularline Product code: PBESSENCE20000K

Product name: Power Bank ESSENCE 20000

- The best emergency charge, equipped with two MICRO USB and USB-C Input ports and a 12W USB Output port for charging the device
- Compact: high-density lithium polymer cells guarantee a smaller size and maximum portability for the Power Bank
- Design: a non-slip coating and a cover made from soft-touch material give it a solid grip and make it pleasant to the touch
- PACK CONTENTS: portable charger, USB-C cable, instructions Power Bank ESSENCE 20000

Cellularline Power Bank ESSENCE 20000:

ESSENCE is the Cellularline Power Bank which guarantees excellent performance for emergency charging of smartphones, providing up to 12W of power. It's equipped with two MICRO USB and USB-C INPUT ports for charging the charger and a USB OUTPUT port for charging the device. Its design is developed to offer the best performance: the non-slip coating and cover made from soft-touch material give it a solid grip and make it pleasant to the touch.





| Design | | Ports & interfaces | |
|--|--|---|-------------------------------------|
| Number of simultaneously connected devices (max) * Product colour * | ces (max) * Black | Input interface * USB Type-A output ports USB Type-C ports quantity | Micro-USB + USB Type-C 1 1 |
| Charger compatibility * | | Weight & dimensions | |
| On/off switch Shape LED indicators | | Width Depth Height | 135 mm 278 mm 138 mm |
| Performance | | Weight | 450 g |
| Charging source * | USB Lithium Polymer (LiPo) 20000 mAh 74 Wh X | Cable length | 0.15 m |
| Battery technology * | | Packaging data | |
| Battery capacity * Battery capacity Wireless charging Fast charging * | | Quantity per pack Package width Package depth Package height | 1 pc(s) 90 mm 30 mm 175 mm |
| Country of origin | China | Package weight | 468 g |
| Power | | Packaging content | |
| Input voltage 5 V Input current 2.1 A Total output power 12 W Output voltage 5 V | Cables included Manual Batteries included | USB Type-C ✓ | |
| Port 1 output current | 5 V 2.1 A | Logistics data | |
| Port 2 output current | 2.4 A | Dangerous goods class | Class 9 |

| Technical details | |
|-------------------|-----------|
| Warranty period | 2 year(s) |



8018080428630

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.