



## DELL P Series P3223QE computer monitor 80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD LCD Black

**Brand :** DELL

**Product family:** P Series

**Product code:** DELL-P3223QE

**Product name :** P3223QE

- 80.0cm (31.5") 4K Ultra HD 3840 x 2160 LED TFT

- 8ms, 16:9, 1000:1


- HDMI, DisplayPort

80.0cm (31.5") 4K Ultra HD 3840 x 2160 LED TFT, 16:9, 1.07B, 8ms, 178°/178°, 1000:1

[DELL P Series P3223QE computer monitor 80 cm \(31.5"\) 3840 x 2160 pixels 4K Ultra HD LCD Black:](#)

Experience pure productivity on a 31.5-inch 4K monitor with extensive connectivity and ComfortView Plus.

DELL P Series P3223QE. Display diagonal: 80 cm (31.5"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting, Height adjustment. Product colour: Black




Display		Ergonomics	
Display diagonal *	80 cm (31.5")	On Screen Display (OSD)	✓
Display resolution *	3840 x 2160 pixels	Plug and Play	✓
HD type *	4K Ultra HD	LED indicators	✓
Native aspect ratio *	16:9		
Display technology *	LCD	Power	
Panel type *	TFT	Energy efficiency class (SDR) *	F
Backlight type	LED	Energy efficiency class (HDR) *	Not available
Touchscreen *	✗	Energy consumption (SDR) per 1000 hours *	31 kWh
Display brightness (peak)	350 cd/m <sup>2</sup>	Power consumption (typical) *	30.6 W
Display brightness (typical)	350 cd/m <sup>2</sup>	Power consumption (standby) *	0.3 W
Response time *	8 ms	Power consumption (max)	180 W
Anti-glare screen	✓	Power consumption (off)	0.3 W
Screen shape *	Flat	AC input voltage	100 - 240 V
Supported video modes	480p, 576p, 720p, 1080i, 1080p, 2160p	AC input frequency	50 - 60 Hz
Contrast ratio (typical) *	1000:1	Input current	2.3 A
Maximum refresh rate *	60 Hz	Power supply type	Internal
Viewing angle, horizontal	178°	Energy efficiency scale	A to G
Viewing angle, vertical	178°	European Product Registry for Energy Labelling (EPREL) code	1126365
Display number of colours *	1.07 billion colours	Operational conditions	
Response time (fast)	5 ms	Operating temperature (T-T)	0 - 40 °C
Pixel pitch	0.18159 x 0.18159 mm	Storage temperature (T-T)	-20 - 60 °C
Pixel density	139.87 ppi	Operating relative humidity (H-H)	20 - 80%
Horizontal scan range	30 - 140 kHz	Storage relative humidity (H-H)	5 - 90%
Vertical scan range	24 - 75 Hz	Operating altitude	0 - 5000 m
Viewable size, horizontal	69.7 cm	Non-operating altitude	0 - 12192 m
Viewable size, vertical	39.2 cm	Weight & dimensions	
Display diagonal (metric)	80 cm	Width (with stand)	712.4 mm
High Dynamic Range (HDR) supported	✗	Depth (with stand)	233.2 mm
Surface hardness	3H	Height (with stand)	468.7 mm
Colour gamut standard	sRGB	Weight (with stand)	9.9 kg

<b>Display</b>		<b>Weight &amp; dimensions</b>	
Colour gamut	99%	Width (without stand)	712.4 mm
Dell ComfortView technology	✓	Depth (without stand)	56.2 mm
<b>Performance</b>		Height (without stand)	417.2 mm
NVIDIA G-SYNC *	✗	Weight (without stand)	5.28 kg
AMD FreeSync *	✗	Bezel width (side)	7.55 mm
Flicker-free technology	✓	Bezel width (top)	7.57 mm
Low Blue Light technology	✓	Bezel width (bottom)	1.74 cm
<b>Multimedia</b>		<b>Packaging data</b>	
Built-in speaker(s) *	✗	Package weight	13.4 kg
Built-in camera *	✗	USB cable length	1 m
<b>Design</b>		<b>Packaging content</b>	
Market positioning *	Business	Cables included	DisplayPort, USB Type-C to USB Type-A, USB Type-C to USB Type-C
Product colour *	Black	Quick start guide	✓
Front bezel colour	Black	DisplayPort cable length	1.8 m
Detachable stand	✓	<b>Sustainability</b>	
Feet colour	Silver	Sustainability certificates	ENERGY STAR, TCO
<b>Ports &amp; interfaces</b>		Doesn't contain	PVC/BFR
USB upstream port type	USB Type-C	<b>Carbon footprint</b>	
Number of upstream ports	1	Total carbon footprint (kg of CO2e)	752
Number of USB Type-C upstream ports quantity	1	Total carbon emissions, standard deviation (kg of CO2e)	188
USB Type-A downstream ports quantity	4	Carbon emissions, manufacturing (kg of CO2e)	446
USB Power Delivery (USB PD)	✓	Carbon emissions, logistics (kg of CO2e)	67
USB Power Delivery up to	90 W	Carbon emissions, energy usage (kg of CO2e)	231
HDMI *	✓	Carbon emissions, end-of-life (kg of CO2e)	8
HDMI ports quantity	1	Total carbon emissions, w/o use phase (kg of CO2e)	520
HDMI version	2.0	PAIA version	1.3.1
DisplayPorts quantity	1	<b>Other features</b>	
DisplayPort version	1.4	Maximum resolution	3840 x 2160 pixels
Headphone out *	✗	RJ-45 ports quantity	1
HDCP	✓	Heavy metals free	Hg (mercury)
AC (power) in	✓	Compliance certificates	RoHS
<b>Network</b>		Power management	✓
Wi-Fi	✗	<b>Brand-specific features</b>	
<b>Ergonomics</b>		Dell Display Manager (DDM) compatibility	✓
VESA mounting *	✓	<b>Logistics data</b>	
Panel mounting interface	100 x 100 mm	Harmonized System (HS) code	85285210
Cable lock slot *	✓		
Cable lock slot type	Kensington		
Height adjustment *	✓		
Height adjustment	15 cm		
Pivot	✓		
Pivot angle	-90 - 90°		
Swivelling	✓		
Swivel angle range	-30 - 30°		
Tilt adjustment	✓		
Tilt angle range	-5 - 21°		



5397184656846



0884116420279



884116420279

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.