Canon i-SENSYS MF651CW Laser A4 1200 x 1200 DPI 18 ppm Wi-Fi

Brand : Canon

Product family: i-SENSYS

Product code: 5158C009

Product name : MF651CW

Canon i-SENSYS MF651CW. Print technology: Laser, Printing: Colour printing, Maximum resolution: 1200 x 1200 DPI. Copying: Colour copying, Maximum copy resolution: 600 x 600 DPI. Scanning: Colour scanning, Optical scanning resolution: 600 x 600 DPI. Maximum ISO A-series paper size: A4. Wi-Fi. Direct printing. Product colour: Black, White



Printing *Colour printingNon-ISO print media sizesStatementMaximum resolution *1200 x 1200 DPIEnvelopes sizesC5, Com-10,Print speed (black, normal quality, A4/US Letter) *18 ppmPaper tray media weight60 - 163 g/mWarm-up time13 sPorts & interfacesDirect printing *✓Time to first page (black, normal)10.4 sDirect printing *✓Time to first page (colour, normal)10.5 sSecure printing *✓Secure printing✓Network✓CopyingColour copyingColour copying↓	Legal, Letter, Oficio, , DL, Monarch n²
Printing *Colour printingNon-ISO print media sizesStatementMaximum resolution *1200 x 1200 DPIEnvelopes sizesC5, Com-10,Print speed (black, normal quality, A4/US Letter) *18 ppmPaper tray media weight60 - 163 g/mWarm-up time13 sPorts & interfacesDirect printing *✓Time to first page (black, normal)10.4 sDirect printing *✓Time to first page (colour, normal)10.5 sSecure printing *✓Secure printing✓Network✓CopyingColour copyingColour copying↓	, DL, Monarch
Print Speed (black, normal quality, A4/US Letter) * 18 ppm Warm-up time 13 s Time to first page (black, normal) 10.4 s Direct printing * ✓ Direct printing * ✓ Secure printing ✓ Copying Colour copying Copying * Colour copying	
Warm-up time 13 s Direct printing* Image: Constant and the second	
Time to first page (black, normal) 10.4 s USB port ✓ Time to first page (colour, normal) 10.5 s Network Secure printing ✓ ✓ Copying Colour copying ✓ Copying * Colour copying ✓	
Secure printing Network Copying Wi-Fi * ✓ Copying * Colour copying ✓ Ethernet LAN * ✓ Ethernet LAN data rates 10.100.1000	
Copying Ethernet LAN * Copying * Colour copying Ethernet LAN data rates 10.100.1000	
Copying * Colour copying Ethernet LAN data rates 10.100.1000	
Maximum copy resolution * 600 x 600 DPl Maximum number of copies 999 copies Contraction reside 25 - 400% Security algorithms 64-bit WEP,	2.11g, Wi-Fi 4 (802.11n) 128-bit WEP, WPA-PSK,
Up card conv function	VPA2-AES, WPA2-PSK IMPv3 (IPv4,IPv6)
Scanning Performance	ini v5 (ii v 4 ,ii v6)
Scanning * Colour scanning Internal memory * 1024 MB Optical scanning resolution * 600 x 600 DPI Built-in processor ✓ Scanner type * Flatbed scanner Processor frequency 800 MHz Scan to Cloud, E-mail, FTP, PC, USB Entrol memory Entrol memory	
Image formats supported JPEG, PNG, TIFF Design	
Document formats supportedPDFProduct colour *Black, WhiteInput colour depth24 bitMarket positioning *BusinessOutput colour depth24 bitBuilt-in display *Greyscale levels256DisplayLCDScan driversICA, TWAIN, WIAControl typeTouch	2
Fax Colour display	
Faxing * Power	
FeaturesPower consumption (max)850 WRecommended duty cycle250 - 2500 pages per monthPower consumption (printing)370 WMaximum duty cycle *30000 pages per monthPower consumption (standby)11 WPrinting colours *Black, Cyan, Magenta, YellowAC input voltage220 - 240 VPage description languagesUFRIIAC input frequency50 - 60 Hz	
Input & output capacity System requirements	
Total input capacity *250 sheetssupported8.1Total output capacity *100 sheetsMulti-Purpose tray✓Maximum input capacity251 sheets), Windows 11, Windows
Paper handling	

Maximum ISO A-series paper size * A4

Paper handling

Paper tray media types *

ISO A-series sizes (A0...A9) * ISO B-series sizes (B0...B9) Coated paper, Envelopes, Heavy paper, Labels, Plain paper, Postcard, Recycled paper, Thin paper A4, A5

Β5

System requirements

d,	Mac operating systems supported	Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey
	Server operating systems supported	Windows Server 2022
	Operational conditions	

Operating relative humidity (H-H)	20 - 80%		
Operating temperature (T-T)	10 - 30 °C		
Weight & dimensions			
Width	451 mm		
Depth	460 mm		
Height	360 mm		
Weight	18.9 kg		



4549292188202

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.