


QNAP TS-410E NAS Tower Intel® Celeron® J6412 8 GB 0 TB QNAP QTS musta



Tuotemerkki : QNAP

Tuotekoodi: TS-410E-8G

Tuotteen nimi : TS-410E

QNAP TS-410E. Malli: NAS. Alustatyyppi: Tower. Laitteen luokka: Pienet & Keskikokoiset Yritykset. Suoritinperhe: Intel® Celeron®, Prosessorimalli: J6412, Prosessorin taajuus: 2,6 GHz. Sisäinen muisti: 8 GB. Asennetun muistin kokonaiskapasiteetti: 0 TB. Käyttöjärjestelmä asennettu: QNAP QTS

Storage		Design	
Supported storage drive interfaces	Serial ATA III	Cooling type *	Passive
Storage drive sizes supported	2.5"	Product colour	Black
RAID support *	✓	LED indicators	LAN, Power, SSD, Status
RAID levels	0, 1, 5, 6, 10, JBOD	Cable lock slot	✓
Online RAID migration	✓	Cable lock slot type	Kensington
Online RAID expansion	✓	Performance	
RAID rebuild	✓	Type *	NAS
Hot-swap drive bays	✓	Device class *	Small & Medium Business
Supported file systems	FAT32, HFS+, exFAT, ext3, ext4	Backup function *	✓
Storage drives installed *	✗	Buzzer	✓
Total installed storage capacity *	0 TB	Multilingual support	✓
Number of storage drives supported *	4	Reset button	✓
Installed storage drive type *	✗	On/off switch	✓
Supported storage drive types *	HDD & SSD	System log	✓
Auto-rebuild	✓	Disk scan	✓
Bad block scan	✓	S.M.A.R.T. support	✓
Processor		Backup button	✓
Processor manufacturer *	Intel	Software	
Processor family *	Intel® Celeron®	Operating system installed *	QNAP QTS
Processor model *	J6412	Operating system version	5.0.1
Processor frequency *	2.6 GHz	Windows operating systems supported	✓
Processor cores	4	Linux operating systems supported	✓
Processor threads	4	Mac operating systems supported	✓
Memory		Power	
Internal memory *	8 GB	Power supply location	External
Maximum RAM supported	8 GB	Power supply unit (PSU) capacity	90 W
Flash memory	4000 MB	Power consumption (typical)	22.694 W
Network		Power consumption (sleep)	13.494 W
Ethernet LAN *	✓	AC input voltage	100 - 240 V
Jumbo frames support	✓	Weight & dimensions	
Wake-on-LAN ready	✓	Width *	180 mm
		Depth *	254 mm

Ports & interfaces		Weight & dimensions	
USB port *	✓	Height *	65 mm
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	4	Weight	2.54 kg
HDMI ports quantity	1	Package weight	3.73 kg
HDMI version	1.4b	Operational conditions	
Ethernet LAN (RJ-45) ports *	2	Operating temperature (T-T)	-40 - 70 °C
Design		Operating relative humidity (H-H)	5 - 95%
Chassis type *	Tower	Storage temperature (T-T)	-45 - 85 °C
		Storage relative humidity (H-H)	5 - 95%



4711103082010

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-DEC-2024. Prints or copies of Information are only valid on the printed Publication date