

QNAP TS-I410X NAS Tower Intel Atom® x6425E 8 GB 0 TB QNAP QTS musta



Tuotemerkki : QNAP

Tuotekoodi: TS-I410X-8G

Tuotteen nimi : TS-I410X

QNAP TS-I410X. Malli: NAS. Alustatyyppi: Tower. Laitteen luokka: Pienet & Keskkokoiset Yritykset. Suoritinperhe: Intel Atom®, Prossessorimalli: x6425E, Prossessorin taajuus: 3 GHz. Sisäinen muisti: 8 GB. Asennetun muistin kokonaiskapasiteetti: 0 TB. Käyttöjärjestelmä asennettu: QNAP QTS

Storage		Design	
Storage drive capacity *	0 GB	LED indicators	LAN, Power, SSD, Status
Supported storage drive interfaces	Serial ATA III	Cable lock slot	✓
Storage drive sizes supported	2.5"	Cable lock slot type	Kensington
RAID support *	✓	Performance	
RAID levels	0, 1, 5, 6, 10, JBOD	Type *	NAS
Online RAID migration	✓	Device class *	Small & Medium Business
Online RAID expansion	✓	Backup function *	✓
RAID rebuild	✓	Backup features	Cloud, iSCSI LUN
Hot-swap drive bays	✓	Buzzer	✓
Supported file systems	FAT32, HFS+, exFAT, ext3, ext4	Multilingual support	✓
Storage drives installed *	✗	Reset button	✓
Total installed storage capacity *	0 TB	On/off switch	✓
Number of storage drives supported *	4	Browser supported	Apple Safari, Google Chrome, Microsoft Edge, Mozilla Firefox
Supported storage drive types *	HDD & SSD	System log	✓
Auto-rebuild	✓	Disk scan	✓
Bad block scan	✓	S.M.A.R.T. support	✓
Disk roaming	✓	Software	
Processor		Operating system installed *	QNAP QTS
Processor manufacturer *	Intel	Operating system version	5.0.1
Processor family *	Intel Atom®	Windows operating systems supported	✓
Processor model *	x6425E	Linux operating systems supported	✓
Processor frequency *	3 GHz	Mac operating systems supported	✓
Processor cores	4	Server operating systems supported	Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019
Memory		Power	
Internal memory *	8 GB	Power supply location	External
Maximum RAM supported	8 GB	Power supply unit (PSU) capacity	90 W
Flash memory	4000 MB	Power consumption (typical)	25.592 W
Network		Power consumption (sleep)	17.628 W
Ethernet LAN *	✓	AC input voltage	100 - 240 V
Ethernet LAN data rates	1000,2500,5000,10000 Mbit/s	Output voltage	9 - 36 V
Copper ethernet cabling technology	10BASE-T		
DHCP server	✓		
iSCSI support	✓		

Network		Weight & dimensions	
Wake-on-LAN ready	✓	Width *	180 mm
Dynamic DNS (DDNS)	✓	Depth *	254 mm
Ports & interfaces		Height *	65 mm
USB port *	✓	Weight	2.54 kg
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	4	Package weight	3.73 kg
HDMI ports quantity	1	Packaging content	
HDMI version	1.4b	External power adapter	✓
Ethernet LAN (RJ-45) ports *	2	Cables included	AC, LAN (RJ-45)
Design		Power cables quantity	1
Chassis type *	Tower	Number of screws	16
Cooling type *	Passive	Operational conditions	
Product colour	Black	Operating temperature (T-T)	-40 - 70 °C
		Operating relative humidity (H-H)	5 - 95%
		Storage temperature (T-T)	-45 - 85 °C
		Storage relative humidity (H-H)	5 - 95%



4711103081464

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-DEC-2024. Prints or copies of Information are only valid on the printed Publication date