ASUS ROG Rapture GT-AX11000 Pro wireless router Gigabit Ethernet Tri-band (2.4 GHz / 5 GHz / 5 GHz) Black

Brand : ASUS

Product code: 90IG0720-MU2A00

Product name : ROG Rapture GT-AX11000 Pro

2.4G Hz, 5 GHz-1, 5 GHz-2, USB 3.1, 4 x RJ45, Flash 256 MB, RAM 1 GB, 1.8 GHz ASUS ROG Rapture GT-AX11000 Pro. WAN connection type: RJ-45. Wi-Fi band: Tri-band (2.4 GHz / 5 GHz / 5 GHz), Top Wi-Fi standard: Wi-Fi 6 (802.11ax), WLAN data transfer rate (max): 4804 Mbit/s. Ethernet LAN interface type: Gigabit Ethernet, Networking standards: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n. Security algorithms: 64-bit WEP, 128-bit WEP, WPA-Enterprise, WPA-PSK, WPA2-Enterprise, WPA2-PSK, WPS. Product type: Tabletop router, Product colour: Black, LED indicators: LAN, Power, USB, WAN, WLAN, WPS





WAN connection		Security	
Ethernet WAN *	1	Access Control List (ACL)	1
DSL WAN *	×	URL filtering	1
SIM card slot *	×	System event log	1
3G/4G USB modem compatibility *	×	DMZ support	1
WAN connection type	RJ-45	Protocols	
Wireless LAN features		DHCP client	1
Wi-Fi band *	Tri-band (2.4 GHz / 5 GHz / 5 GHz) Wi-Fi 6 (802.11ax)	DHCP server	1
Top Wi-Fi standard *		Universal Plug and Play (UPnP)	1
WLAN data transfer rate (max) *	4804 Mbit/s	Design	
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	-	Plack
		Product colour Indication light	Black
WLAN data transfer rate (first band)	4804 Mbit/s	LED indicators	LAN, Power, USB, WAN, WLAN, WPS
WLAN data transfer rate (second band)	1148 Mbit/s	On/off switch	
WLAN data transfer rate (third		Product type *	Tabletop router
band)	4804 Mbit/s	Antenna	
Network		Antenna design *	External
Ethernet LAN *	1	Antennas quantity	8
Ethernet LAN interface type *	E * Gigabit Ethernet IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Features	-
Networking standards		Built-in processor Processor frequency	✓ 1.8 MHz
Port forwarding	 Image: A set of the set of the	Processor cores	1.0 MHZ 4
Port triggering	1	Internal memory	1000 MB
Dynamic DNS (DDNS)	1	Flash memory	256 MB
Number of guest networks (2.4	3	Power	
GHz)	-	Power source type *	DC
Number of guest networks (5 GHz)	3	AC input voltage	110 - 240 V
Support Samba (storage)	I	AC input frequency	50 - 60 Hz
		AC input frequency	JU - 00 HZ
Built-in FTP server	1	Output voltage	19 V
Media server	1	,	
	4 4 4	Output voltage	19 V

Ports & interfaces		System requirements		
Ethernet LAN (RJ-45) ports *	5	Windows operating systems supported	Windows 11	
USB port *	 Image: A set of the set of the			
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2	Mac operating systems supported	Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion	
DC-in jack	1	Weight & dimensions		
Management features		weight & dimensions		
Management reatures		Width	354.9 mm	
Quality of Service (QoS) support	✓	Depth	354.9 mm	
Reset button	1	Height	193.2 mm	
WPS push button	 Image: A set of the set of the	Weight	2.18 kg	
Security		Packaging data		
Security algorithms	64-bit WEP, 128-bit WEP, WPA- Enterprise, WPA-PSK, WPA2- Enterprise, WPA2-PSK, WPS	Package width	401 mm	
		Package depth	396 mm	
		Package height	141 mm	
		Package weight	3.72 kg	
		Package type	Box	









Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.