ASUS ROG Rapture GT-AX11000 Pro langaton reititin Gigabitti Ethernet Kolmikaista (2,4 GHz/5 GHz/5 GHz) musta

Tuotemerkki : ASUS Tuotekoodi: 90IG0720-MU2A00

Tuotteen nimi: ROG Rapture GT-AX11000 Pro

ASUS ROG Rapture GT-AX11000 Pro. WAN -liitintyyppi: RJ-45. Wi-Fi-taajuus: Kolmikaista (2,4 GHz/5 GHz/5 GHz), Wi-Fi-standardi: Wi-Fi 6 (802.11ax), WLAN-tiedonsiirtonopeus (maks.): 4804 Mbit/s. Ethernet LAN -käyttöliittymän tyyppi: Gigabitti Ethernet, Verkkostandardit: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n. Tietoturva-algoritmit: 64-bit WEP, 128-bit WEP, WPA-Enterprise, WPA-PSK, WPA2-Enterprise, WPA2-PSK, WPS. Tuotetyyppi: Pöytäreititin, Tuotteen väri: musta, LED-merkkivalot: LAN, Teho, USB, WAN, WLAN, WPS





WAN connection		Security	
Ethernet WAN *	✓	Access Control List (ACL)	✓
DSL WAN *	×	URL filtering	✓
SIM card slot *	×	System event log	✓
3G/4G USB modem compatibility *	×	DMZ support	✓
WAN connection type	RJ-45	Protocols	
Wireless LAN features		DHCP client	1
Wi-Fi band *	Tri-band (2.4 GHz / 5 GHz / 5 GHz)	DHCP server	✓
Top Wi-Fi standard *	Wi-Fi 6 (802.11ax)	Universal Plug and Play (UPnP)	√
WLAN data transfer rate (max) *	4804 Mbit/s	Design	
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	•	Dlack
		Product colour Indication light	Black
WLAN data transfer rate (first band)	4804 Mbit/s	LED indicators	LAN, Power, USB, WAN, WLAN, WPS
WLAN data transfer rate (second band)	1148 Mbit/s	On/off switch	✓
WLAN data transfer rate (third band)	4804 Mbit/s	Product type *	Tabletop router
		Antenna	
Network		Antenna design *	External
Ethernet LAN *	1	Antennas quantity	8
Ethernet LAN interface type *	Gigabit Ethernet	Features	
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n		/
		Built-in processor Processor frequency	1.8 MHz
Port forwarding	1	Processor cores	4
Port triggering	✓	Internal memory	1000 MB
Dynamic DNS (DDNS)	✓	Flash memory	256 MB
Number of guest networks (2.4 GHz)	3	Power	
Number of guest networks (5 GHz)	3	Power source type *	DC
Support Samba (storage)	✓	AC input voltage	110 - 240 V
Built-in FTP server	✓	AC input frequency Output voltage	50 - 60 Hz 19 V
Media server	✓	Output current	3.42 A
VPN Passthrough	✓	output current	5.127.
•			

Ports & interfaces		System requirements	
Ethernet LAN (RJ-45) ports *	5	Windows operating systems supported	Windows 11
USB port *	✓		Mac OS X 10.6 Snow Leopard, Mac
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2	Mac operating systems supported	OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion
DC-in jack	✓		
		Weight & dimensions	
Management features		Width	354.9 mm
Quality of Service (QoS) support	✓	Depth	354.9 mm
Reset button	✓	Height	193.2 mm
WPS push button	✓	Weight	2.18 kg
Security		Packaging data	
	64-bit WEP, 128-bit WEP, WPA-	Package width	401 mm
Security algorithms	Enterprise, WPA-PSK, WPA2- Enterprise, WPA2-PSK, WPS	Package depth	396 mm
		Package height	141 mm
		Package weight	3.72 kg
		Package type	Box









Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.