

## ASUS ZenScreen MB165B LED display 39,6 cm (15.6") 1366 x 768 pikseliä WXGA LCD musta

**Tuotemerkki :** ASUS

**Tuoteperhe:** ZenScreen

**Tuotekoodi:** 90LM0703-B01170


**Tuotteen nimi :** MB165B

ASUS ZenScreen MB165B. Näytön halkaisija: 39,6 cm (15.6"), Näytön erottelutarkkuus: 1366 x 768 pikseliä, HD-tyyppi: WXGA, Näytön teknologia: LCD, Vasteaika (tyypillinen): 10 ms, Vakiokuvasuhde: 16:9, Katselukulma, vaakasuora: 90°, Katselukulma, pystysuora: 65°. Tuotteen väri: musta



<b>Display</b>		<b>Ports &amp; interfaces</b>	
Display diagonal *	39.6 cm (15.6")	Headphone out *	✗
Display resolution *	1366 x 768 pixels	HDCP	✓
HD type *	WXGA	<b>Ergonomics</b>	
Native aspect ratio *	16:9	LED indicators	✓
Display technology *	LCD	<b>Power</b>	
Panel type *	TN	Energy efficiency class (SDR) *	B
Backlight type	LED	Energy consumption (SDR) per 1000 hours *	6 kWh
Touchscreen *	✗	Power consumption (typical) *	7 W
Display brightness (typical)	220 cd/m <sup>2</sup>	Power consumption (standby) *	0.5 W
Response time *	10 ms	Power consumption (off)	0.3 W
Anti-glare screen	✓	European Product Registry for Energy Labelling (EPREL) code	690552
Screen shape *	Flat	<b>Weight &amp; dimensions</b>	
Contrast ratio (typical) *	500:1	Width (with stand)	360.1 mm
Maximum refresh rate *	60 Hz	Depth (with stand)	11.8 mm
Viewing angle, horizontal	90°	Height (with stand)	225.6 mm
Viewing angle, vertical	65°	Weight (with stand)	780 g
Display number of colours *	260000 colours	<b>Packaging data</b>	
Pixel pitch	0.252 x 0.252 mm	Package width	297 mm
Viewable size, horizontal	34.4 cm	Package depth	435 mm
Viewable size, vertical	19.4 cm	Package height	57 mm
Display diagonal (metric)	39.62 cm	Package weight	1.65 kg
<b>Multimedia</b>		<b>Packaging content</b>	
Built-in speaker(s) *	✗	Cables included	USB
Built-in camera *	✗	Quick start guide	✓
<b>Design</b>			
Product colour *	Black		

Ports & interfaces		Other features	
USB version	2.0/3.2 Gen 1 (3.1 Gen 1)	Country of origin	China
Built-in USB hub *	×	Logistics data	
HDMI *	×	Harmonized System (HS) code	85285210



4711081160151



0195553160124



195553160124



0195553160155



195553160155

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.