StarTech.com DK30C2HAGPD kannettavien tietokoneiden telakka ja porttitoistin Langallinen USB 3.2 Gen 1 (3.1 Gen 1) Type-C Harmaa

Tuotemerkki : StarTech.com

Tuotekoodi: DK30C2HAGPD

Tuotteen nimi : DK30C2HAGPD

StarTech.com DK30C2HAGPD. Yhteysteknologia: Langallinen, Isäntäkoneen käyttöliittymä: USB 3.2 Gen 1 (3.1 Gen 1) Type-C, USB Power Delivery asti: 100 W. Ethernet LAN -datanopeudet: 10,100,1000 Mbit/s, Verkkostandardit: IEEE 802.3, IEEE 802.3ab, IEEE 802.3u. Tuotteen väri: Harmaa, Tiedonsiirtonopeus: 5 Gbit/s, Digitaalinen enimmäistarkkuus: 3840 x 2160 pikseliä. Windows-käyttöjärjestelmätuki: Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10..., Mac-käyttöjärjestelmätuki: Mac OS X 13.0 Ventura. Tuotteen leveys: 60 mm, Tuotteen syvyys: 120 mm, Tuotteen korkeus: 19 mm

Ports & interfaces

Connectivity technology *	Wired
Host interface *	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
USB 2.0 ports quantity *	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	2
USB Power Delivery (USB PD)	✔
USB Power Delivery up to	100 W
HDMI ports quantity *	2
Microphone in *	✘

Network

Ethernet LAN *	✔
Ethernet LAN (RJ-45) ports	1
Ethernet LAN data rates	10,100,1000 Mbit/s
Networking standards	IEEE 802.3, IEEE 802.3ab, IEEE 802.3u
Auto MDI/MDI-X	✔
Full duplex	✔

Performance

Card reader integrated *	✘
Data transfer rate	5 Gbit/s
Maximum digital resolution	3840 x 2160 pixels
Product colour *	Grey
UASP support	✔
Housing material	Plastic
Certification	CE, FCC, REACH

Software

Mac operating systems supported	Mac OS X 13.0 Ventura

Operational conditions

Operating temperature (T-T)	0 - 50 °C
Storage temperature (T-T)	-20 - 70 °C
Operating relative humidity (H-H)	0 - 95%

Weight & dimensions

Width	60 mm
Depth	120 mm
Height	19 mm
Weight	281 g

Packaging data

Package width	145 mm
Package depth	208 mm
Package height	38 mm

Packaging content

Cables included	USB Type-C
Quick start guide	✔

Technical details

Compliance certificates	RoHS

Logistics data

Products per master (outer) case	24 pc(s)
Master (outer) case width	305 mm
Master (outer) case length	435 mm
Master (outer) case height	275 mm
Harmonized System (HS) code	84733020

Software		Other features	
Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64	Chipset	VIA/VLI - VL102, VIA/VLI - VL170, VIA/VLI - VL817, MegaChips - STDP4320, MegaChips - MCDP2900, RealTek - RTL8153

0065030878234

065030878234