

HP SD Pro 44-in Arkkisyöttöskanneri 1200 x 1200 DPI A0 musta

Tuotemerkki: HP Tuotekoodi: G6H50B


Tuotteen nimi: SD Pro 44-in

HP SD Pro 44-in. Skannauksen enimmäiskoko: 1118 x 75760 mm, Optinen skannauserottelutarkkuus: 1200 x 1200 DPI, Tehostettu skannaustarkkuus: 9600 x 9600 DPI. Skannerityyppi: Arkkisyöttöskanneri, Tuotteen väri: musta. Anturin tyyppi: CIS, Tiedostomuodot (skanneri): JPG, PDF, TIFF, Skannaa: Sähköposti, FTP, Tiedosto, USB. Suurin ISO A-luokan paperikoko: A0, Media paksuus (min.): 2 mm. USB-versio: 3.2 Gen 1 (3.1 Gen 1), Vakioliitännät: Ethernet, USB 3.2 Gen 1 (3.1 Gen 1)



Scanning		Power	
Maximum scan size * Optical scanning resolution *	1118 x 75760 mm 1200 x 1200 DPI	Power consumption (PowerSave) AC input frequency	1.8 W 50 - 60 Hz
Enhanced scan resolution	9600 x 9600 DPI	Input voltage	100-240 V
Colour scanning	✓	Weight & dimensions	
Duplex scanning *	×	Width	1470 mm
Input colour depth	48 bit	Depth	930 mm
Film scanning	×	Height	1660 mm
Design		Weight	60 kg
Scanner type *	Sheet-fed scanner	Packaging data	
Product colour *	Black	Package width	1500 mm
Touchscreen	✓	Package depth	680 mm
Built-in display *	✓	Package height	710 mm
Performance		Package weight	85 kg
Sensor type *	CIS	Packaging content	
Scan file formats	JPG, PDF, TIFF	Cables included	AC, LAN (RJ-45)
Scan to	E-mail, FTP, File, USB	Quick start guide	✓
Scanning noise level	62 dB	Drivers included	✓
Internal memory	4096 MB	Sustainability	
Paper handling		Sustainability certificates	ENERGY STAR
Maximum ISO A-series paper size *	A0	Operational conditions	
Media thickness (min)	2 mm	Operating temperature (T-T)	5 - 40 °C
Ports & interfaces		Storage temperature (T-T)	-25 - 55 °C
USB port *	✓	Operating relative humidity (H-H)	20 - 80%
USB version	3.2 Gen 1 (3.1 Gen 1)	Storage relative humidity (H-H)	0 - 95%
Standard interfaces	Ethernet, USB 3.2 Gen 1 (3.1 Gen 1)		
Network			
Ethernet LAN	✓		

wer		Certificates	
Power supply type * AC Power consumption (typical) 47 W Power consumption (standby) 32 W	47 W	Electromagnetic compatibility	EU (EMC Directive), USA (FCC Rules), Canada (ICES), Australia (ACMA), New Zealand (RSM), China (CCC), Japan (VCCI), Korea (MSIP), Russia (EAC)
		Other features	
		Compliance certificates	RoHS
		Certification	WEEE, REACH, EPEAT Bronze



















Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.