

iiyama ProLite E1980D-B1 LED display 48.3 cm (19") 1280 x 1024 pixels XGA Black

Brand : iiyama

Product family: ProLite

Product code: E1980D-B1

Product name : E1980D-B1

19", 1280 x 1024, 5:4, TN LED, VGA, DVI, HDCP, 411x402x204.5 mm

[iiyama ProLite E1980D-B1 LED display 48.3 cm \(19"\) 1280 x 1024 pixels XGA Black:](#)

Reliable office solution

The 19" ProLite E1980D is an LED-backlit monitor with good response time, high contrast and sRGB and gamma correction functions that permit even the finest nuances of colour to be set accurately.

iiyama ProLite E1980D-B1. Display diagonal: 48.3 cm (19"), Display resolution: 1280 x 1024 pixels, HD type: XGA, Display technology: LED, Display surface: Matt, Response time: 5 ms, Native aspect ratio: 5:4, Viewing angle, horizontal: 170°, Viewing angle, vertical: 160°. VESA mounting. Product colour: Black



Display		Ergonomics	
Display diagonal *	48.3 cm (19")	Height adjustment *	✗
Display resolution *	1280 x 1024 pixels	Tilt adjustment	✓
HD type *	XGA	Tilt angle range	-4 - 21°
Native aspect ratio *	5:4	On Screen Display (OSD)	✓
Display technology *	LED	On Screen Display (OSD) languages	German, English, Spanish, French, Italian, Japanese, Portuguese, Russian
Panel type *	TN	Number of OSD languages	9
Touchscreen *	✗		
Display brightness (typical)	250 cd/m ²	Power	
Response time *	5 ms	Energy efficiency class (SDR) *	E
Display surface	Matt	Energy consumption (SDR) per 1000 hours *	15 kWh
Screen shape *	Flat	Power consumption (typical) *	16 W
Contrast ratio (typical) *	1000:1	Power consumption (standby) *	0.5 W
Contrast ratio (dynamic)	12000000:1	Power consumption (off)	0.5 W
Maximum refresh rate *	60 Hz	AC input voltage	100 - 240 V
Viewing angle, horizontal	170°	AC input frequency	50 - 60 Hz
Viewing angle, vertical	160°	European Product Registry for Energy Labelling (EPREL) code	819356
Display number of colours *	16.7 million colours	Operational conditions	
Pixel pitch	0.294 x 0.294 mm	Operating temperature (T-T)	5 - 35 °C
Horizontal scan range	24 - 83 kHz	Storage temperature (T-T)	-20 - 60 °C
Viewable size, horizontal	37.6 cm	Operating relative humidity (H-H)	10 - 80%
Viewable size, vertical	30.1 cm	Storage relative humidity (H-H)	5 - 85%
Display diagonal (metric)	48 cm	Weight & dimensions	
sRGB coverage (typical)	99%	Width (with stand)	411 mm
NTSC coverage (typical)	72%		
Performance			
NVIDIA G-SYNC *	✗		

Performance		Weight & dimensions	
AMD FreeSync *	✗	Depth (with stand)	204.5 mm
Multimedia		Height (with stand)	402 mm
Built-in speaker(s) *	✗	Weight (with stand)	3.2 kg
Built-in camera *	✗	Packaging data	
Design		Package width	122 mm
Market positioning *	Business	Package depth	427 mm
Product colour *	Black	Package weight	4.6 kg
Feet colour	Black	Packaging content	
Ports & interfaces		Stand included	✓
Built-in USB hub *	✗	Cables included	AC, DVI
VGA (D-Sub) ports quantity	1	Quick start guide	✓
DVI port	✓	Sustainability	
DVI-D ports quantity	1	Sustainability certificates	ENERGY STAR, EPEAT Silver
HDMI *	✗	Other features	
HDCP	✓	Compliance certificates	CE, REACH, RoHS, WEEE
Ergonomics		Logistics data	
VESA mounting *	✓	Harmonized System (HS) code	85285210
Panel mounting interface	100 x 100 mm		
Cable lock slot *	✗		



4948570119332

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-DEC-2024. Prints or copies of Information are only valid on the printed Publication date