



LG 86BH5F-M infonäyttö Digitaalinen litteä infotaulu 2,18 m (86") Wi-Fi 500 cd/m² musta WebOS 24/7

Tuotemerkki : LG

Tuotekoodi: 86BH5F-M

Tuotteen nimi : 86BH5F-M

LG 86BH5F-M. Tuotteen muotoilu: Digitaalinen litteä infotaulu. Näytön halkaisija: 2,18 m (86"), Näytön erottelutarkkuus: 3840 x 600 pikseliä, Näytön kirkkaus: 500 cd/m². Wi-Fi. Toiminta-aika (tunteja/päiviä): 24/7. Käyttöjärjestelmä asennettu: WebOS. Tuotteen väri: musta



Display		Design	
Panel type	IPS	VESA mounting *	✓
Display diagonal *	2.18 m (86")	Panel mounting interface	600 x 200 mm
Display resolution *	3840 x 600 pixels	Bezel width (bottom)	5.9 mm
Display brightness *	500 cd/m ²	Bezel width (side)	4.4 mm
Touchscreen *	✗	Bezel width (top)	5.9 mm
Response time	8 ms	Performance	
Contrast ratio (typical)	1100:1	Purpose *	Retail
Contrast ratio (dynamic)	500000:1	Operating hours (hours/days)	24/7
Viewing angle, horizontal	178°	Power	
Viewing angle, vertical	178°	Power consumption (typical) *	220 W
Display number of colours	1.07 billion colours	Energy efficiency class (SDR)	G
Haze rate	3%	Energy consumption (SDR) per 1000 hours	143 kWh
RGB colour space	NTSC	AC input voltage	100 - 240 V
Ports & interfaces		AC input frequency	50 - 60 Hz
HDMI ports quantity *	3	Heat dissipation	751 BTU/h
HDMI version	2.2	Energy efficiency scale	A to G
DVI port *	✓	Computer system	
DVI-D ports quantity	1	Computer system *	✓
DisplayPorts quantity *	2	Internal memory	8 GB
DisplayPorts in	1	Operating system installed	WebOS
DisplayPorts out	1	Weight & dimensions	
USB port *	✓	Width	2158.3 mm
USB ports quantity	2	Depth	81.7 mm
USB version	2.0	Height	348.5 mm
Ethernet LAN *	✓	Weight	20.5 kg
Ethernet LAN (RJ-45) ports	1	Packaging content	
Wi-Fi *	✓	Remote control included	✓
Audio (L/R) in	1	Cables included	AC, DisplayPort, IR, IR sensor
Audio (L/R) out	1	Operational conditions	
RS-232C	✓	Operating temperature (T-T)	0 - 40 °C
Remote (IR) input	1	Operating relative humidity (H-H)	10 - 80%
Audio			
Built-in speaker(s) *	✗		

Design		Logistics data	
Product design *	Digital signage flat panel	Harmonized System (HS) code	85285210
Placement supported *	Indoor	Technical details	
Orientation	Horizontal/Vertical	Special features	CB, NRTL, FCC Class "A", CE, KC,
Product colour *	Black	Sustainability certificates	ErP



8806091607157



0195174027950



195174027950

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.